

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEB® 10-beta Electrocompetent E.coli

Catalog Number: C3020K
Lot Number: 10037874
Expiration Date: 02/2020
Storage Temperature: -80°C

Specification Version: PS-C3020K v1.0

NEB® 10-beta Electrocompetent E.coli Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N3041AVIAL	pUC19 Vector	10032414	Pass	
C3020KVIAL	NEB® 10-beta Electrocompetent E.coli	10033767	Pass	
B9035SVIAL	NEB® 10-beta/Stable Outgrowth Medium	10018489	Pass	

Assay Name/Specification	Lot # 10037874
Antibiotic Resistance (Streptomycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Nitrofurantoin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Nitrofurantoin will not form colonies after incubation	Pass



C3020K / Lot: 10037874

Page 1 of 2

Assay Name/Specification	Lot # 10037874
for 16 hours at 37°C.	
Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Tetracycline) 15 μl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
Blue-White Screening (α-complementation, Competent Cells) NEB® 10-beta Electrocompetent E. coli were shown to be suitable for blue/white screening by α-complementation of the β-galactosidase gene using pUC19.	Pass
Phage Resistance (φ 80) 15 μI of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.	Pass
Transformation Efficiency 25 μl of NEB® 10-beta Electrocompetent E. coli cells were transformed with 10 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >2 x 10e10 cfu/μg of DNA.	Pass

This product has been tested and shown to be in compliance with all specifications.

Derek Robinson Production Scientist

15 Feb 2019

Corey Rabeau

Packaging Quality Control Inspector

25 Feb 2019



C3020K / Lot: 10037874

Page 2 of 2