

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: NEB® 10-beta Electrocompetent E.coli

Catalog Number: C3020K
Packaging Lot Number: 10170495
Expiration Date: 11/2023
Storage Temperature: -80°C

Specification Version: PS-C3020K v1.0

NEB® 10-beta Electrocompetent E.coli Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
N3041AVIAL	pUC19 Vector	10165704	Pass	
C3020KVIAL	NEB® 10-beta Electrocompetent E.coli	10156679	Pass	
B9035SVIAL	NEB® 10-beta/Stable Outgrowth Medium	10160341	Pass	

Assay Name/Specification	Lot # 10170495
Antibiotic Resistance (Streptomycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
Phage Resistance (φ 80) 15 μl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.	Pass
Blue-White Screening ( $\alpha$ -complementation, Competent Cells) NEB® 10-beta Electrocompetent E. coli were shown to be suitable for blue/white screening by $\alpha$ -complementation of the $\beta$ -galactosidase gene using pUC19.	Pass



C3020K / Lot: 10170495 Page 1 of 2

Assay Name/Specification	Lot # 10170495
Transformation Efficiency 25 μl of NEB® 10-beta Electrocompetent E. coli cells were transformed with 10 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >2 x 10e10 cfu/μg of DNA.	Pass
Antibiotic Sensitivity (Tetracycline) 15 μl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Nitrofurantoin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Nitrofurantoin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Doreen Duquette
Production Scientist

13 Jul 2022

Corey Rabeau

Packaging Quality Control Inspector

04 Nov 2022



C3020K / Lot: 10170495

Page 2 of 2