

www.neb.com info@neb.com



New England Biolabs Certificate of Analysis

Product Name: OneTag® 2X Master Mix with Standard Buffer

Catalog Number: M0482L

Concentration: 2 X Concentrate

Packaging Lot Number: 10237041
Expiration Date: 04/2026
Storage Temperature: -20°C

Specification Version: PS-M0482S/L v2.0

Composition (1X): 20 mM Tris-HCl (pH 8.9 @ 25°C), 22 mM NH4Cl, 22 mM KCl, 1.8 mM

MgCl2, 0.2 mM dATP, 0.2 mM dCTP, 0.2 mM dGTP, 0.2 mM dTTP, 5 % Glycerol, 0.06 % IGEPAL® CA-630, 0.05 % Tween® 20, 25 units/ml

OneTaq® DNA Polymerase

OneTaq® 2X Master Mix with Standard Buffer Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0482SVIAL	OneTag® 2X Master Mix with Standard Buffer	10235242	Pass	

Assay Name/Specification	Lot # 10237041
Non-Specific DNase Activity (16 hour, Buffer) A 50 μl reaction in 1X OneTaq® Master Mix with Standard Buffer containing 1 μg of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
PCR Amplification (5 kb Lambda, Master Mix) A 25 µl reaction in 1X OneTaq® Master Mix with Standard Buffer and 0.2 µM primers containing 5 ng Lambda DNA for 25 cycles of PCR amplification results in the expected 5 kb product.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of OneTaq® 2X Master Mix with Standard Buffer is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



M0482L / Lot: 10237041



Trinh Nguyen
Production Scientist
19 Apr 2024

12/2/2/2

Monkiewicz Talia Monkiewicz

Packaging Quality Control Inspector 23 Apr 2024