

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Luna® Probe One-Step RT-qPCR 4X Mix with UDG

Catalog Number: M3019E

Concentration: 4 X Concentrate

Packaging Lot Number: 10086188
Expiration Date: 09/2021
Storage Temperature: -20°C

Specification Version: PS-M3019E v1.0

Composition (1X): Proprietary

Luna® Probe One-Step RT-qPCR 4X Mix with UDG Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M3019EVIAL	Luna® Probe One-Step RT-qPCR 4X Mix with UDG	10086171	Pass	
B1502EVIAL	Nuclease-free Water	10083035	Pass	

Assay Name/Specification	Lot # 10086188
qPCR DNA Contamination (E. coli Genomic) A minimum of 1 μl of Luna® Probe One-Step RT-qPCR 4X Mix with UDG is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is \leq 1 E. coli genome.	Pass
RNase Activity Assay (4 Hour Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of Luna® Probe One-Step RT-qPCR 4X Mix with UDG is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass
Functional Testing (One-Step RT-qPCR) Luna® Probe One-Step RT-qPCR 4X Mix with UDG is functionally tested in One-Step RT-qPCR with human RNA template, resulting in a standard curve with a calculated qPCR efficiency of 90-110%, and a dynamic range of 8 orders of magnitude.	Pass
Non-Specific DNase Activity (16 hour, Buffer)	Pass



M3019E / Lot: 10086188

Page 1 of 2

Assay Name/Specification	Lot # 10086188
A 50 µl reaction in 1X Luna® Probe One-Step RT-qPCR Mix with UDG containing 1 µg of	
T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for	
16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as	
determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christie Vazquez Production Scientist 29 Sep 2020

vistie Vazguez

Josh Hersey Packaging Quality Control Inspector

29 Sep 2020

