

## New England Biolabs Certificate of Analysis


**Product Name:** Shrimp Alkaline Phosphatase (rSAP)  
**Catalog Number:** M0371L  
**Concentration:** 1,000 U/ml  
**Unit Definition:** One unit is defined as the amount of enzyme that hydrolyzes 1  $\mu$ mol of p-Nitrophenyl Phosphate, PNPP in a total reaction volume of 1 ml in 1 minute at 37°C  
**Packaging Lot Number:** 10064354  
**Expiration Date:** 02/2022  
**Storage Temperature:** -20°C  
**Storage Conditions:** 25 mM Tris-HCl , 1 mM MgCl<sub>2</sub> , 50 % Glycerol, (pH 7.5 @ 25°C)  
**Specification Version:** PS-M0371S/L v1.0

Shrimp Alkaline Phosphatase (rSAP) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0371LVIAL	Shrimp Alkaline Phosphatase (rSAP)	10062893	Pass
B7204SVIAL	CutSmart® Buffer	10061305	Pass

Assay Name/Specification	Lot # 10064354
<p><b>Exonuclease Activity (Radioactivity Release)</b>            A 50 <math>\mu</math>l reaction in CutSmart® Buffer containing 1 <math>\mu</math>g of a mixture of single and double-stranded [ <sup>3</sup>H] E. coli DNA and a minimum of 10 units of Shrimp Alkaline Phosphatase (rSAP) incubated for 4 hours at 37°C releases &lt;0.1% of the total radioactivity.</p>	Pass
<p><b>Non-Specific DNase Activity (16 Hour)</b>            A 50 <math>\mu</math>l reaction in NEBuffer 4 containing 1 <math>\mu</math>g of PhiX174-HaeIII DNA and a minimum of 10 units of Shrimp Alkaline Phosphatase (rSAP) incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass
<p><b>Protein Purity Assay (SDS-PAGE)</b>            Shrimp Alkaline Phosphatase (rSAP) is <math>\geq</math> 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.</p>	Pass
<p><b>RNase Activity (Extended Digestion)</b>            A 10 <math>\mu</math>l reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 <math>\mu</math>l of Shrimp Alkaline Phosphatase (rSAP) is incubated at 37°C.</p>	Pass

Assay Name/Specification	Lot # 10064354
<p>After incubation for 16 hours, &gt;90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.</p> <p><b>Endonuclease Activity (Nicking)</b> A 50 µl reaction in CutSmart<sup>®</sup> Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 5 units of Shrimp Alkaline Phosphatase (rSAP) incubated for 4 hours at 37°C results in &lt;10% conversion to the nicked form as determined by agarose gel electrophoresis.</p>	<p><b>Pass</b></p>

This product has been tested and shown to be in compliance with all specifications.



Ana Egana  
Production Scientist  
05 Mar 2020



Jay Minichiello  
Packaging Quality Control Inspector  
05 Mar 2020