

## New England Biolabs Certificate of Analysis

Product Name: NEBNext® Ultra™ II Q5® Master Mix  
 Catalog Number: M0544L  
 Lot Number: 10035655  
 Expiration Date: 06/2020  
 Storage Temperature: -20°C  
 Specification Version: PS-M0544S/L v1.0

| NEBNext® Ultra™ II Q5® Master Mix Component List |                                   |            |                      |
|--|-----------------------------------|------------|----------------------|
| NEB Part Number                                  | Component Description             | Lot Number | Individual QC Result |
| M0544SVIAL                                       | NEBNext® Ultra™ II Q5® Master Mix | 10033565   | Pass                 |

| Assay Name/Specification  | Lot # 10035655 |
|---|----------------|
| <p><b>Phosphatase Activity (pNPP)</b><br/>           A 200 µl reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl<sub>2</sub> containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 20 µl of NEBNext® Ultra™ II Q5® Master Mix incubated for 4 hours at 37°C yields &lt;0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.</p> | Pass           |
| <p><b>Non-Specific DNase Activity (16 hour, Buffer)</b><br/>           A 50 µl reaction in 1X NEBNext Ultra II Q5 Master Mix containing 1 µg of T3 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>                  | Pass           |
| <p><b>Functional Testing (Multiplex PCR, Bead Inhibition)</b><br/>           A 50 µl reaction in 1X NEBNext® Ultra™ II Q5® Master Mix and 0.5 µM 3-plex primer mix containing 20 ng Human Genomic DNA for 30 cycles of PCR amplification results in the expected three amplicons and no inhibition of amplification in the presence of the beads.</p>                             | Pass           |

This product has been tested and shown to be in compliance with all specifications.

*Christine Sumner*

---

Christine Sumner  
Production Scientist  
30 Jan 2019

*Michael Tonello*

---

Michael Tonello  
Packaging Quality Control Inspector  
30 Jan 2019