

New England Biolabs Certificate of Analysis

Product Name: PI-SceI
Catalog Number: R0696S
Concentration: 5,000 U/ml
Unit Definition: One unit is defined as the amount of enzyme required to cleave 1 µg of pBSvdeX XmnI-linearized Control Plasmid in 3 hours at 37°C in a total reaction volume of 50 µl.
Packaging Lot Number: 10057941
Expiration Date: 09/2021
Storage Temperature: -20°C
Storage Conditions: 300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 500 µg/ml BSA
Specification Version: PS-R0696S/L v2.0

PI-SceI Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R0696SVIAL	PI-SceI	10056026	Pass
N0422SVIAL	pBSvdeX XmnI-linearized Control Plasmid	10056030	Pass
B9000SVIAL	BSA, Molecular Biology Grade	10057616	Pass
B0696SVIAL	NEBuffer™ PI-SceI	10053662	Pass

Assay Name/Specification	Lot # 10057941
<p>Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer PI-SceI containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 50 units of PI-SceI incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.</p>	Pass
<p>Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of pBSvdeX-XmnI DNA with PI-SceI, ~75% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, ~75% can be recut with PI-SceI.</p>	Pass
<p>Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer PI-SceI containing 1 µg of pBSvdeX-XmnI DNA and a minimum of 50 Units of PI-SceI incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.



Jianying Luo
Production Scientist
09 Sep 2019



Michael Tonello
Packaging Quality Control Inspector
08 Nov 2019