β-Nicotinamide adenine dinucleotide (NAD^+)



1-800-632-7799 info@neb.com www.neb.com



B9007S

50 mM solution Lot: 0131512 0.2 ml Store at -20°C Exp: 12/17

Description: β-Nicotinamide adenine dinucleotide (NAD+) is included with the PreCR® Repair Mix available from New England Biolabs. NAD+ is supplied as an aqueous 50 mM solution.

Use and Storage: For use in the PreCR Repair Mix, NAD+ should be diluted 1:100 to a final concentration of 500 µM. NAD+ solution should be stored at -20°C, and the user should avoid repeated freeze/thaw cycles. For storage longer than 30 days, store at -80°C.








NEW ENGLAND BIOLABS® and PRECR® are registered trademarks of New England Biolabs, Inc.

This product is intended for research purposes only. This product is not intended to be used for therapeutic or diagnostic purposes in humans or animals.

CERTIFICATE OF ANALYSIS



1-800-632-7799 info@neb.com www.neb.com

BioLabs



 (NAD^{+})

B9007S

0.2 ml 50 mM solution Lot: 0131512 Store at -20°C Exp: 12/17

Description: β-Nicotinamide adenine dinucleotide (NAD+) is included with the PreCR® Repair Mix available from New England Biolabs. NAD+ is supplied as an aqueous 50 mM solution.

Use and Storage: For use in the PreCR Repair Mix. NAD+ should be diluted 1:100 to a final concentration of 500 µM. NAD+ solution should be stored at -20°C, and the user should avoid repeated freeze/thaw cycles. For storage longer than 30 days, store at -80°C.







NEW ENGLAND BIOLABS® and PRECR® are registered trademarks of New England Biolabs, Inc.

This product is intended for research purposes only. This product is not intended to be used for therapeutic or diagnostic purposes in humans or animals.