

**PURExpress® Δ**  
**RF123 Kit**



1-800-632-7799  
info@neb.com  
www.neb.com



E6850S 003121214121

**E6850S**

**10 reactions**    **Lot: 0031212**    **Exp: 12/14**  
**Store at -80°C**

**Kit Components:**

Solution A	100 μl
Solution B (minus RF1, RF2, RF3)	75 μl
RF1	10 μl
RF2	10 μl
RF3	10 μl
DHFR Control Template	10 μl (125 ng/μl)

Each kit contains sufficient reagents for 10 x 25 μl reactions.

The three release factors are supplied separately, allowing users to perform a protein synthesis reaction/ribosome display experiment with/without release factors of their choice.

**Protocol**

**Standard Reaction for PURExpress Δ RF123 Kit:**

Assemble the reaction in a new tube in the following order:

Solution A	10 μl
Solution B (minus RF123)	7.5 μl
RF1 (if necessary)	0.5 μl
RF2 (if necessary)	0.5 μl
RF3 (if necessary)	0.5 μl
Supplements (RNase Inhibitor, <sup>35</sup> S-met, etc.)	x μl
Nuclease-free H <sub>2</sub> O	x μl
Template DNA	x μl
<b>Total</b>	<b>25 μl</b>

Incubate at 37°C for at least 2 hours. Additional incubation time (maximum 4 hours) at 37°C may increase yield.

**Usage Notes:**

For a positive control reaction, use 2 μl of the supplied DHFR control template and 0.5 μl each of the supplied release factors.

For detailed usage information please refer to the product manual which is also available online at: <http://www.neb.com/nebecomm/ManualFiles/manualE6800.pdf>

Additional product information including FAQ's can be found on website. <http://www.neb.com/nebecomm/products/productE6850.asp>

**Note:** Release factors have not been added to solution B. You may still observe translational termination at a reduced level depending on your application and protein template design.

**Companion Products Sold Separately:**

PURExpress® <i>In Vitro</i> Protein Synthesis Kit #E6800S	10 reactions
#E6800L	100 reactions
PURExpress® Δ Ribosome Kit #E3313S	10 reactions
PURExpress® Δ (aa, tRNA) Kit #E6840S	10 reactions
PURExpress® Disulfide Bond Enhancer #E6820S	50 reactions
<i>E. coli</i> Ribosome #P0763S	1 mg

PURExpress® is based on the PURE System Technology originally developed by Dr. Takuya Ueda at the University of Tokyo and commercialized as the PURESYSTEM® by BioComber (Tokyo, Japan).

Licensed from BioComber (Tokyo, Japan) under Patent Nos. 7,118,883; WO2005-105994 and JP2006-340694. For research use only. Commercial use of PURExpress® Δ RF123 Kit requires a license from New England Biolabs, Inc.

CERTIFICATE OF ANALYSIS

**PURExpress® Δ**  
**RF123 Kit**



1-800-632-7799  
info@neb.com  
www.neb.com



E6850S 003121214121

**E6850S**

**10 reactions**    **Lot: 0031212**    **Exp: 12/14**  
**Store at -80°C**

**Kit Components:**

Solution A	100 μl
Solution B (minus RF1, RF2, RF3)	75 μl
RF1	10 μl
RF2	10 μl
RF3	10 μl
DHFR Control Template	10 μl (125 ng/μl)

Each kit contains sufficient reagents for 10 x 25 μl reactions.

The three release factors are supplied separately, allowing users to perform a protein synthesis reaction/ribosome display experiment with/without release factors of their choice.

**Protocol**

**Standard Reaction for PURExpress Δ RF123 Kit:**

Assemble the reaction in a new tube in the following order:

Solution A	10 μl
Solution B (minus RF123)	7.5 μl
RF1 (if necessary)	0.5 μl
RF2 (if necessary)	0.5 μl
RF3 (if necessary)	0.5 μl
Supplements (RNase Inhibitor, <sup>35</sup> S-met, etc.)	x μl
Nuclease-free H <sub>2</sub> O	x μl
Template DNA	x μl
<b>Total</b>	<b>25 μl</b>

Incubate at 37°C for at least 2 hours. Additional incubation time (maximum 4 hours) at 37°C may increase yield.

**Usage Notes:**

For a positive control reaction, use 2 μl of the supplied DHFR control template and 0.5 μl each of the supplied release factors.

For detailed usage information please refer to the product manual which is also available online at: <http://www.neb.com/nebecomm/ManualFiles/manualE6800.pdf>

Additional product information including FAQ's can be found on website. <http://www.neb.com/nebecomm/products/productE6850.asp>

**Note:** Release factors have not been added to solution B. You may still observe translational termination at a reduced level depending on your application and protein template design.

**Companion Products Sold Separately:**

PURExpress® <i>In Vitro</i> Protein Synthesis Kit #E6800S	10 reactions
#E6800L	100 reactions
PURExpress® Δ Ribosome Kit #E3313S	10 reactions
PURExpress® Δ (aa, tRNA) Kit #E6840S	10 reactions
PURExpress® Disulfide Bond Enhancer #E6820S	50 reactions
<i>E. coli</i> Ribosome #P0763S	1 mg

PURExpress® is based on the PURE System Technology originally developed by Dr. Takuya Ueda at the University of Tokyo and commercialized as the PURESYSTEM® by BioComber (Tokyo, Japan).

Licensed from BioComber (Tokyo, Japan) under Patent Nos. 7,118,883; WO2005-105994 and JP2006-340694. For research use only. Commercial use of PURExpress® Δ RF123 Kit requires a license from New England Biolabs, Inc.

CERTIFICATE OF ANALYSIS