## NEBuilder® HiFi DNA Assembly

THE NEXT GENERATION OF DNA ASSEMBLY AND CLONING




## Why choose NEBuilder HiF:

### New to DNA Assembly?

NEBuilder HiFi DNA Assembly enables virtually error-free joining of DNA fragments, even those with 5´- and 3´-end mismatches. Available with and without competent *E. coli*, this flexible kit enables simple and fast seamless cloning utilizing a new proprietary high-fidelity polymerase. Find out why NEBuilder HiFi is the next generation of DNA assembly and cloning.

### Not your average DNA assembly reagent



### Reasons to choose NEBuilder HiFi

- Save time

  Enjoy simple and fast seamless
  cloning in as little as 15 minutes.
- 2 Flexibility
  Use one system for both
  "standard-size" cloning and
  larger gene assembly products,
  up to 12 fragments.
- 3 Compatible with downstream applications
  DNA can be used immediately for transformation or as template
- 4 Adaptable
  Adapts easily for multiple
  DNA manipulations, including
  mismatch and ssOligo assembly.

for PCR or RCA.

- 5 Site-directed mutagenesis
  Use to perform multi-site
  mutagenesis.
- 6 Increased stability
  Store at -20°C, with improved stability over competition.

### Ordering Information


| PRODUCT  | NEB #      | SIZE                |
|--|------------|---------------------|
| NEBuilder HiFi DNA Assembly Master Mix*                | E2621S/L/X | 10/50/250 reactions |
| NEBuilder HiFi DNA Assembly Cloning Kit                | E5520S     | 10 reactions        |
| NEBuilder HiFi DNA Assembly Bundle for Large Fragments | E2623S     | 20 reactions        |

<sup>\*</sup> Available in larger volumes. Please contact custom@neb.com for details.


# i DNA Assembly?

### Using GeneArt® Gibson Assembly® or In-Fusion® Snap Assembly?

NEBuilder HiFi DNA Assembly offers several advantages over GeneArt Gibson Assembly and In-Fusion Snap Assembly. These include: higher accuracy due to the use of a high-fidelity polymerase, the ability to assemble both 5'- and 3'-end mismatches, lower DNA input requirements and the ability to bridge two double-stranded DNA fragments with a single-stranded DNA oligo (data not shown). NEBuilder HiFi DNA Assembly is the clear choice for efficient and accurate DNA assembly.



Four fragments (~20 fmol) with 20 bp overlap were assembled using NEBuilder HiFi DNA Assembly Master Mix (NEB #E2621), GeneArt Gibson Assembly Mix (Thermo Fisher® #A46627) and In-Fusion Snap Assembly Master Mix (Takara Bio USA #638947) to create a pUC19 vector. Assembly reactions were performed at 50°C for 60 min or 15 min. 2 μl of each assembled mix was transformed into NEB 5-alpha Competent E. coli (NEB #C2987) and spread on LB/Amp plates with IPTG and X-Gal. Blue colonies that indicated correct assembly were counted. NEBuilder HiFi DNA Assembly Mix yields more colonies than both competitors



One pmol of ssDNA oligos were assembled with a linearized vector (30 ng of CRISPR Nuclease Reporter DNA) using NEBuilder HiFi DNA Assembly Master Mix (NEB #E2621), GeneArt Gibson Assembly Mix (Thermo Fisher #A46627) and In-Fusion Snap Assembly Mix (Takara Bio USA #638947). Assembly reactions were performed at 50°C for 60 min or 15 min. 2 µl of the assembled mix was transformed into NEB 5-alpha Competent E. coli NEB #C2987). 20 colonies were further screened by PCR to confirm the presence of inserts. Greater than 95% of colonies tested from NEBuilder HiFi and GeneArt Gibson Assembly reactions contained proper inserts, although GeneArt Gibson Assembly yielded fewer colonies. In-Fusion Snap did not yield any successful colonies. NEBuilder HiFi DNA Assembly Master Mix outperformed both GeneArt Gibson Assembly and In-Fusion Snap Assembly

### Comparison of DNA Assembly Reaction Types

|                             | 7                           |                     |                         |                     |                         |                     |  |
|-----------------------------|-----------------------------|---------------------|-------------------------|---------------------|-------------------------|---------------------|--|
|                             | NEBuilder HiFi DNA Assembly |                     | GeneArt Gibson Assembly |                     | In-Fusion Snap Assembly |                     |  |
|                             | Assembly efficiency         | Covalently sealed?* | Assembly efficiency     | Covalently sealed?* | Assembly efficiency     | Covalently sealed?* |  |
| 2-fragment assembly         |                             |                     |                         |                     |                         |                     |  |
| No mismatch                 | +++                         | Yes                 | ++                      | Yes                 | ++                      | No                  |  |
| 3´- and 5´-end mismatch     | +++                         | Yes                 | ++                      | Yes                 | Х                       | No                  |  |
| 4-fragment assembly         |                             |                     |                         |                     |                         |                     |  |
| 15-bp overlap & no mismatch | +++                         | Yes                 | ++                      | Yes                 | ++                      | No                  |  |
| 25-bp overlap & no mismatch | +++                         | Yes                 | ++                      | Yes                 | ++                      | No                  |  |
| Oligo assembly              |                             |                     |                         |                     |                         |                     |  |
| 3'- and 5'-overhang         | +++                         | Yes                 | ++                      | Yes                 | Х                       | No                  |  |
| Blunt end & no mismatch     | +++                         | Yes                 | ++                      | Yes                 | Х                       | No                  |  |
| ssOligo & vector            | +++                         | Yes                 | NP                      | Yes                 | Х                       | No                  |  |

Assembled products are treated with T5 exonuclease followed by PCR. Only covalently sealed products resistant to T5 exonuclease digestion can serve as templates for PCR and yield PCR product.



Visit NEBuilderHiFi.com to view additional performance data, tutorials and much more



For help designing primers, try NEBuilder Assembly Tool at NEBuilder.neb.com

<sup>+++</sup> Performs best; recommended

Performs well; but other product(s) perform better

Performs, but not recommended

X Does not perform

NP Experiment not performed



New England Biolabs, Inc. Telephone (978) 927-5054 Toll Free (USA Orders) 1-800-632-5227 Toll Free (USA Tech) 1-800-632-7799 e-mail: info@neb.com

#### New England Biolabs (UK) Ltd

75-77 Knowl Piece Wilbury Way SG4 0TY

Free Phone (General & Orders): 0800 318486 Free Phone (Technical Support): 0800 6522890 Free Phone (Accounts): 0800 6522891

Email (General): customersupport.uk@neb.com Email (Technical Support): techsupport.uk@neb.com

www.neb.com/international-support

For UK prices visit: www.neb.com











Printed on 100% recycled paper using water based ink.



For help with finding the right products and protocols for each step of your next traditional cloning experiment try **NEBcloner**® at **NEBcloner.neb.com** 



For help with designing primers for DNA assembly, try NEBuilder® DNA Assembly Tool at NEBuilder.neb.com



Did you know that many of these products can be purchased in large volumes and custom formats? Learn more at www.neb.com/customizedsolutions



Products and content are covered by one or more patents, trademarks and/or copyrights owned or controlled by New England Biolabs, Inc (NEB). The use of trademark symbols does not necessarily indicate that the name is trademarked in the country where it is being read; it indicates where the content was originally developed. See www.neb.com/trademarks. The use of these products may require you to obtain additional third-party intellectual property rights for certain applications. For more information, please email busdev@neb.com.

Your purchase, acceptance, and/or payment of and for NEB's products is pursuant to NEB's Terms of Sale at www.neb.com/support/terms-of-sale. NEB does not agree to and is not bound by any other terms or conditions, unless those terms and conditions have been expressly agreed to in writing by a duly authorized officer of NEB.

CleanCap®and products incorporating it are sold under license from TriLink Biotech-nologies, LLC and may be used for research use only, not for diagnostics, therapeutic procedures or for use in humans. For additional information, please see the products Limited Use License at www.trilinkbiotech.com/cleancap-research-license

iPHONE® and iPAD® are registered trademarks of Apple, Inc.

© Copyright 2024, New England Biolabs, Inc.; all rights reserved