Q5[®] High-Fidelity DNA Polymerase

THE FINEST IN FIDELITY – FOR OVER 10 YEARS



The finest in fidelity – for over 10 years

How time flies! It has been over 10 years since the release of Q5[®] High-Fidelity DNA Polymerase. In that time, it has set the standard for performance and fidelity (>280 times higher fidelity than *Taq*). Its unique buffer system provides superior performance for a broad range of amplicons, regardless of GC content.

Q5 is featured in multiple products to support a range of applications, and we are proud to announce our newest release for direct sample amplification: **Q5 Blood Direct 2X Master Mix.**



View the full product portfolio and request your free sample at <u>Q5PCR.com</u>





Mandarin Ducks *(Aix galericulata)*, are frequently featured in Chinese art and are regarded as a symbol of fidelity.

Choose Q5[®] High-Fidelity DNA Polymerase for ALL your high-fidelity PCR needs.


Comparison of high-fidelity polymerases

| PRODUCT NAME (Supplier) | POLYMERASE FIDELITY (Reported by supplier) | MAXIMUM AMPLICON Length5 | EXTENSION TIME ⁵ (For simple templates ⁴) | EXTENSION TIME ⁶ (For complex templates ⁴) |
|--------------------------------------------|-----------------------------------------------|--------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------|
| Q5 High-Fidelity DNA Polymerase (NEB) | ~280X <i>Taq</i> ¹ | 20 kb simple; 10 kb complex | 10 s/kb | 10 s/kb (< 1 kb) 20–30 s/kb (> 1 kb) |
| Phusion High-Fidelity DNA Polymerase (NEB) | 39X <i>Taq</i> ¹ | 20 kb simple; 10 kb complex | 15 s/kb | 30 s/kb |

We continue to investigate improved assays to characterize Q5's very low error rate to ensure that we present the most accurate fidelity data possible (Potapov, V. and Ong, J.L. (2017) PLoS ONE. 12(1): e0169774).

Enjoy rapid, site-specific mutagenesis with the Q5 Site-Directed Mutagenesis Kit


This kit utilized the robust Q5 Hot Start High-Fidelity DNA Polymerase along with custom mutagenic primers to create substitutions, deletions and insertions in a wide variety of plasmids in less than 2 hours.



The use of a master mix, a unique multi-enzyme KLD enzyme mix, and a fast polymerase ensures that, for most plasmids, the mutagenesis reacition is complete in less than two hours.

Read and amplify DNA templates containing uracil and inosine bases with Q5U[®] Hot Start High-Fidelity DNA Polymerase


A modified version of Q5[®] High-Fidelity DNA Polymerase, Q5U Hot Start High-Fidelity DNA Polymerase contains a mutation in the uracil-binding pocket that enables the ability to read and amplify templates containing uracil and inosine bases, enabling superior amplification of bisulfite-converted, deaminated, or damaged DNA (e.g., FFPE).



Archaeal family B-type polymerases can incorporate/tolerate a variety of modified nucleotides but will stall upon encountering uracil and inosine residues. Q5U Hot Start High-Fidelity DNA Polymerase is a modified Q5 High-Fidelity DNA polymerase which efficiently incorporates dUTP and amplifies uracil-containing templates. Common applications enabled by Q5U Hot Start High-Fidelity DNA Polymerase are illustrated above.

PCR direct from blood with Q5 Blood Direct 2X Master Mix

The Q5 Blood Direct 2X Master Mix can amplify a wide variety of targets directly from dried blood spots or up to 30% whole human blood, skipping DNA purification. The master mix includes Q5 Hot Start High-Fidelity DNA Polymerase and dNTPs in an optimized buffer that delivers increased resistance to inhibitors in blood, anti-coagulants, and chemicals on filter papers. It is capable of amplifying products up to 7.5 kb from human whole blood cells preserved with sodium EDTA, potassium EDTA, sodium citrate and sodium heparin, as well samples stored on common preservative filter papers.



PCR was performed using Q5 Blood Direct 2X Master Mix under standard recommended conditions with 35 cycles of amplification. Yield and purity were quantitated by microfluidic LabChip® analysis and are indicated by dot size and color, respectively, with a large, dark green dot representing the strongest performance.

To request a sample, visit


ā.

neb.com/m0500

- A. Amplification of a variety of human genomic amplicons, 0.3 to 7.5 kb in length, from 10% EDTA-preserved human whole blood. Results are shown as both a virtual gel (top) and corresponding dot plot (bottom). Q5 Blood Direct 2X Master Mix performs well across a broad range of amplicon sizes.
- B. Amplification of a 604 bp human genomic amplicon from whole blood (top) or blood dried on filters (bottom). Human whole blood comprised 5-30% of the total reaction volume (50 µl) as indicated. Untreated 1 mm punches from dried blood spots were added directly to 25 µl reactions (one punch per reaction), even where pre-treatment of the punch was recommended by the manufacturer. Q5 Blood Direct 2X Master Mix shows broad tolerance to varying blood volumes, preservatives and punch types.

Superior Multiplexing with Luna and Q5

The LunaScript Multiplex One-Step RT-PCR Kit (NEB #E1555) offers a streamlined protocol for cDNA synthesis and PCR amplification in a single reaction. It features Luna WarmStart RT and Q5 Hot Start High-Fidelity DNA Polymerase. The kit has robust multiplex target amplification capacity and enables various applications such as diagnostics, pathogen detection, and viral genome sequencing (including the \sim 50 amplicons per reaction used in ARTIC SARS-CoV-2 sequencing protocols).



The five quality features of Q5 High-Fidelity DNA Polymerase

1. Extremely low error rates


At ~280X higher than Taq, Q5 offers unparalleled fidelity for your most important samples.

2. Robust amplification with minimal optimization

High specificity and yield are absolute requirements for today's molecular biology techniques. Q5 delivers both for a wide range of templates.

3. Superior coverage for a broad range of amplicons, regardless of GC content

While other DNA polymerases can have difficulty amplifying high-GC or high-AT amplicons, Q5 displays superior performance for a wide range of templates.




Robust amplification with 05 and 05 Hot Start High-Fidelity DNA Polymerases, regardless of GC content: Amplification of a variety of human genomic amplicons from low to high GC content using either 05 or 05 Hot Start High-Fidelity DNA Polymerase. Reactions using 05 Hot Start were set up at room temperature. All reactions were conducted using 30 cycles of amplification and visualized by microfluidic LabChip® analysis.

4. Shorter PCR protocols

Achieve precision without sacrificing speed. Q5's unique design incorporating the SSo7d processivity-enhancing domain enables shorter extension times, as low as 10 seconds per kb. Additionally, aptamer-based hot start requires no initial denaturation step and enables room temperature setup.

5. Templates up to 20 kb

With Q5, you can reliably amplify simple templates up to 20 kb. Complex templates up to 10 kb can also be amplified with a high degree of confidence.



Choose from a Selection of Standalone Enzymes, Master Mixes and Kits

For your high-fidelity PCR needs.

| Product | NEB # | Size |
|--------------------------------------------------------------------|-------------------|-------------------|
| Q5 High-Fidelity DNA Polymerase | <u>M0491S/L</u> | 100/500 units |
| Q5 High-Fidelity 2X Master Mix | <u>M0492S/L</u> | 100/500 reactions |
| Q5 Hot Start High-Fidelity DNA Polymerase | <u>M0493S/L</u> | 100/500 units |
| Q5 Hot Start High-Fidelity 2X Master Mix | <u>M0494S/L/X</u> | 100/500 reactions |
| Q5 Blood Direct 2X Master Mix | M0500S/L | 100/500 reactions |
| Q5U Hot Start High-Fidelity DNA Polymerase | M0515S/L | 100/500 units |
| Q5 High-Fidelity PCR Kit | E0555S/L | 50/200 reactions |
| Q5 Site-Directed Mutagenesis Kit (With or Without Competent Cells) | E0554S/E0552S | 10 reactions |
| LunaScript Multiplex One-Step RT-PCR Kit | E1555S/L | 50/250 reactions |
| NEBNext® Ultra II Q5 Master Mix | <u>M0544S/L</u> | 50/250 reactions |

One or more of these products are covered by patents, trademarks and/or copyrights owned or controlled by New England Biolabs, Inc. The use of trademark symbols does not necessarily indicate that the name is trademarked in the country where it is being read; rather, it indicates where the document was originally developed. For more information, please email us at <u>busdev@neb.com</u>. The use of these products may require you to obtain additional third party intellectual property rights for certain applications.

Your purchase, acceptance, and/or payment of and for NEB's products is pursuant to NEB's Terms of Sale at <u>www.neb.com/support/terms-of-sale</u>. NEB does not agree to and is not bound by any other terms or conditions, unless those terms and conditions have been expressly agreed to in writing by a duly authorized officer of NEB.

B CORPORATION® is a registered trademark of B Lab IP, LLC, Inc. PHUSION® and THERMO SCIENTIFIC® are registered trademarks and property of Thermo Fisher Scientific. PHUSION® DNA Polymerase was developed by Finnzymes Oy, now a part of Thermo Fisher Scientific. LABCHIP® is a registered trademark of Caliper LIF8 Sciences, Inc., part of PerkinElmer, Inc. © Copyright 2024, New England Biolabs, Inc.; all rights reserved



Request a free sample of Q5 High-Fidelity DNA Polymerase at <u>Q5PCR.com</u>

PCR Selector

For help with choosing the best polymerase for your PCR, try our PCR selector at **PCRselector.neb.com**.

Tm Calculator

For help with calculating annealing temperatures, try our Tm Calculator at **<u>TmCalculator.neb.com</u>**.



Did you know that many of these products can be purchased in large volumes and custom formats? Learn more at **www.neb.com/customizedsolutions**

USA

New England Biolabs, Inc. Telephone (978) 927-5054 Toll Free (USA Orders) 1-800-632-5227 Toll Free (USA Tech) 1-800-632-7799 info@neb.com

Australia & New Zealand

New England Biolabs (Australia) PTY Telephone: 1800 934 218 (AU) info.au@neb.com Telephone: 0800 437 209 (NZ) info.nz@neb.com

Canada

New England Biolabs, Ltd. Toll Free: 1-800-387-1095 info.ca@neb.com

China

New England Biolabs (Beijing), Ltd. Telephone: 010-82378265/82378266 info@neb-china.com

France

New England Biolabs France Telephone: 0800 100 632 info.fr@neb.com

Germany & Austria

New England Biolabs GmbH Free Call: 0800/246 5227 (Germany) Free Call: 00800/246 52277 (Austria) info.de@neb.com

Japan

New England Biolabs Japan, Inc. Telephone: +81 (0)3 5669 6191 info.jp@neb.com

Singapore

New England Biolabs, Pte. Ltd. Telephone: +65 638 59623 sales.sg@neb.com

Republic of Korea

New England Biolabs Korea Ltd. Toll Free: +82 (70) 47318478 info.kr@neb.com

United Kingdom

New England Biolabs (UK), Ltd. Call Free: 0800 318486 info.uk@neb.com

www.neb.com





