

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Isothermal Amplification Buffer

Catalog Number: B0537S

Concentration: 10 X Concentrate

Packaging Lot Number: 10186903
Expiration Date: 05/2025
Storage Temperature: -20°C

Specification Version: PS-B0537S v2.0

Composition (1X): 20 mM Tris-HCl, 50 mM KCl, 10 mM (NH4)2SO4, 2 mM MgSO4, 0.1 % Tween®

20, (pH 8.8 @ 25°C)

Isothermal Amplification Buffer Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
B0537SVIAL	Isothermal Amplification Buffer	10165335	Pass	

Assay Name/Specification	Lot # 10186903
Endonuclease Activity (Nicking, Buffer) A 50 µl reaction in 2X Isothermal Amplification Buffer containing 1 µg of supercoiled PhiX174 DNA incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 2X Isothermal Amplification Buffer containing 1 µg of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Phosphatase Activity (pNPP, Buffer) A 200 µl reaction in 1M Diethanolamine @ pH 9.8 and 0.5 mM MgCl2 containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 40 µl Isothermal Amplification Buffer incubated for 4 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.	Pass
RNAse Activity Assay (4 Hour Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of Isothermal Amplification Buffer is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass



B0537S / Lot: 10186903

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Trinh Nguyen Production Scientist

03 Oct 2022

coli genome.

Michael Tonello

Packaging Quality Control Inspector

26 Jul 2023



B0537S / Lot: 10186903

Page 2 of 2