

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBuffer™ 4

Catalog Number: B7004S

Concentration: 10 X Concentrate

Packaging Lot Number: 10122067
Expiration Date: 07/2024
Storage Temperature: -20°C

Specification Version: PS-B7004S v1.0

Composition (1X): 50 mM Potassium Acetate , 20 mM Tris-acetate, 10 mM Magnesium

Acetate, 1 mM DTT, (pH 7.9 @ 25°C)

NEBuffer™ 4 Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
B7004SVIAL	NEBuffer™ 4	10115023	Pass	

Assay Name/Specification	Lot # 10122067
Conductivity (buffers/solutions)	Pass
The conductivity of 10X NEBuffer 4 is between 36 and 54 mS at 25°C.	
Endonuclease Activity (Nicking, Buffer) A 50 μl reaction in 1X NEBuffer 4 containing 1 μg of supercoiled PhiX174 DNA incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Functional Testing (Restriction Digest, BSA, Buffer) A 50 μl reaction in 1X NEBuffer 4 plus 100 μg/ml Bovine Serum Albumin containing 1 μg of Lambda DNA and 1 unit of Mscl incubated for 1 hour at 37°C results in complete digestion of the substrate DNA as determined by agarose gel electrophoresis.	Pass
Functional Testing (Restriction Digest, BSA, Buffer) A 50 µl reaction in 1X NEBuffer 4 plus 100 µg/ml Bovine Serum Albumin containing 1 µg of Lambda dam- DNA and 1 unit of Clal incubated for 1 hour at 37°C results in complete digestion of the substrate DNA as determined by agarose gel electrophoresis.	Pass
Non-Specific DNase Activity (16 hour, Buffer) A 50 μl reaction in 1X NEBuffer 4 containing 1 μg of PhiX174-HaeIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease	Pass



B7004S / Lot: 10122067

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Michael Dalton
Production Scientist

18 Oct 2021

Michael Tonello

Packaging Quality Control Inspector

18 Oct 2021



B7004S / Lot: 10122067

Page 2 of 2