

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: BL21(DE3) Competent E. coli

Catalog Number: C2527H
Packaging Lot Number: 10084380
Expiration Date: 09/2021
Storage Temperature: -80°C

Specification Version: PS-C2527H/I v1.0

BL21(DE3) Competent E. coli Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N3041AVIAL	pUC19 Vector	10078142	Pass	
C2527HVIAL	BL21(DE3) Competent E. coli	10078732	Pass	
B9020SVIAL	SOC Outgrowth Medium	10079017	Pass	

Assay Name/Specification	Lot # 10084380
Antibiotic Sensitivity (Streptomycin) 15 µl of untransformed BL21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Tetracycline) 15 µl of untransformed BL21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
Phage Resistance (φ 80) 15 μl of untransformed BL21(DE3) Competent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed BL21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed BL21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass



C2527H / Lot: 10084380

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Lixin An

Production Scientist

14 Sep 2020

Corey Rabeau

Packaging Quality Control Inspector

14 Sep 2020



C2527H / Lot: 10084380

Page 2 of 2