

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

BL21 Competent E. coli
С2530Н
0261801
01/2018
01/2019
-80°C
PS-C2530H v1.0
22 Dec 2016

Assay Name/Specification (minimum release criteria)	Lot #0261801
<b>Antibiotic Sensitivity (Ampicillin)</b> - 15 $\mu$ l of untransformed BL21 Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Chloramphenicol)</b> - 15 $\mu$ l of untransformed BL21 Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Kanamycin)</b> - 15 $\mu$ l of untransformed BL21 Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Spectinomycin)</b> - 15 $\mu$ l of untransformed BL21 Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Streptomycin)</b> - 15 $\mu$ l of untransformed BL21 Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Tetracycline)</b> - 15 $\mu$ l of untransformed BL21 Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Phage Resistance (<math>\Phi</math> 80)</b> - 15 µl of untransformed BL21 Competent <i>E. coli</i> streaked onto a Rich Broth plate does not support plaque formation by phage $\Phi$ 80 after incubation for 16 hours at 37°C.	Pass
<b>Transformation Efficiency</b> - 50 $\mu$ l of BL21 Competent <i>E. coli</i> cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e7 cfu/ $\mu$ g of DNA.	Pass

tunen

Authorized by Derek Robinson 22 Dec 2016



Inspected by Lixin An 03 Jan 2018