

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name:	T7 Express Competent E. coli (High Efficiency)
Catalog #:	C2566H/I
Lot #:	0251702
Assay Date:	02/2017
Expiration Date:	02/2019
Storage Temp:	-80°C
Specification Version:	PS-C2566H/I v1.0
Effective Date:	07 Jul 2016

Assay Name/Specification (minimum release criteria)	Lot #0251702
<b>Antibiotic Resistance (Nitrofurantoin)</b> - 15 μl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Ampicillin)</b> - 15 $\mu$ l of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37° C.	Pass
<b>Antibiotic Sensitivity (Chloramphenicol)</b> - 15 $\mu$ l of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Kanamycin)</b> - 15 μl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37° C.	Pass
<b>Antibiotic Sensitivity (Spectinomycin)</b> - 15 µl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Streptomycin)</b> - 15 μl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Tetracycline)</b> - 15 µl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass



C2566H/I Lot: 0251702 Page 1 of 2



240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Assay Name/Specification (minimum release criteria)	Lot #0251702
<b>Phage Resistance (<math>\Phi</math> 80)</b> - 15 µl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate does not support plaque formation by phage $\Phi$ 80 after incubation for 16 hours at 37°C.	Pass
<b>Transformation Efficiency</b> - 50 $\mu$ l of T7 Express Competent <i>E. coli</i> (High Efficiency) cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >0.6 x 10e9 cfu/ $\mu$ g of DNA.	Pass

otunen

Authorized by Derek Robinson 07 Jul 2016



Inspected by Lixin An 13 Mar 2017