

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: T7 Express Competent E. coli (High Efficiency)

Catalog Number: C2566l
Lot Number: 10050609
Expiration Date: 04/2021
Storage Temperature: -80°C

Specification Version: PS-C2566H/I v1.0

T7 Express Competent E. coli (High Efficiency) Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
N3041AVIAL	pUC19 Vector	10043515	Pass	
C2566IVIAL	T7 Express Competent E. coli (High Efficiency)	10035598	Pass	
B9020SVIAL	SOC Outgrowth Medium	10045014	Pass	

Assay Name/Specification	Lot # 10050609
Antibiotic Sensitivity (Tetracycline) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
Phage Resistance (φ 80) 15 μI of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.	Pass
Transformation Efficiency 50 μl of T7 Express Competent E. coli (High Efficiency) cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >0.6 x 10e9 cfu/μg of DNA.	Pass
Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for	Pass



C2566I / Lot: 10050609

Page 1 of 2

Assay Name/Specification	Lot # 10050609
16 hours at 37°C.	
Antibiotic Sensitivity (Streptomycin) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Resistance (Nitrofurantoin)  15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.	Pass

This product has been tested and shown to be in compliance with all specifications.

Lixin An

Production Scientist

26 Apr 2019

Nick Privitera

Packaging Quality Control Inspector

19 Jul 2019



C2566I / Lot: 10050609

Page 2 of 2