

be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	NEB® 10-beta Electrocompetent E.coli
Catalog Number:	C3020K
Lot Number:	10046069
Expiration Date:	04/2020
Storage Temperature:	-80°C
Specification Version:	PS-C3020K v1.0

NEB® 10-beta Electrocompetent E.coli Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N3041AVIAL	pUC19 Vector	10043515	Pass	
C3020KVIAL	NEB® 10-beta Electrocompetent E.coli	10040713	Pass	
B9035SVIAL	NEB® 10-beta/Stable Outgrowth Medium	10018490	Pass	

Assay Name/Specification	Lot # 10046069
Antibiotic Sensitivity (Nitrofurantoin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Nitrofurantoin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Tetracycline) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
Blue-White Screening (α -complementation, Competent Cells) NEB® 10-beta Electrocompetent E. coli were shown to be suitable for blue/white screening by α -complementation of the β -galactosidase gene using pUC19.	Pass
Phage Resistance (ϕ 80) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage ϕ 80 after incubation for 16 hours at 37°C.	Pass





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Assay Name/Specification	Lot # 10046069
Transformation Efficiency 25 μ I of NEB® 10-beta Electrocompetent E. coli cells were transformed with 10 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >2 x 10e10 cfu/ μ g of DNA.	Pass
Antibiotic Resistance (Streptomycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed NEB® 10-beta Electrocompetent E. coli streaked onto a LB or Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass

This product has been tested and shown to be in compliance with all specifications.

mm

Derek Robinson Production Scientist 25 Mar 2019

Corey Rabeau

Packaging Quality Control Inspector 23 May 2019

