Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Q5® Site-Directed Mutagenesis Kit

Catalog Number: E0554S
Packaging Lot Number: 10127297
Expiration Date: 11/2022

Storage Temperature: Multi-temperature*
Specification Version: PS-E0554S v2.0

^{*} This product contains components with different storage temperature requirements. Please reference the applicable product specification document(s) on the Quality and Safety tab located on the product page of www.neb.com.

Q5® Site-Directed Mutagenesis Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S0554AVIAL	Control SDM Primer Mix	10106653	Pass
N3041AVIAL	pUC19 Vector	10119396	Pass
N0554AVIAL	Control SDM Plasmid	10106652	Pass
M0554AVIAL	KLD Enzyme Mix	10106650	Pass
M0494AVIAL	Q5® Hot Start High-Fidelity 2X Master Mix	10106651	Pass
C2987HVIAL	NEB® 5-alpha Competent E. coli (High Efficiency)	10119027	Pass
B9020SVIAL	SOC Outgrowth Medium	10107488	Pass
B0554AVIAL	KLD Reaction Buffer	10106654	Pass

Assay Name/Specification	Lot # 10127297
Functional Testing (Mutagenesis Kit) A 10 µl reaction containing 1 µl of PCR product (10 ng of Control SDM plasmid, amplified with Control SDM Primer Mix, with 25 cycles in Q5 Hot Start High-Fidelity Master Mix), 1 µl 10X KLD Enzyme Mix, 5 µl 2X KLD Reaction Buffer and 3 µl of nuclease-free water for 5 minutes at room temperature yields >50 colonies with >75% blue after transforming 5 µl into 50 µl NEB 5-alpha Chemically Competent Cells and making a 40-fold dilution prior to plating.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in Q5 Site-Directed Mutagenesis Kit and meet the designated specifications.	Pass

This product has been tested and shown to be in compliance with all specifications.



E0554S / Lot: 10127297 Page 1 of 2 BioLabs Inc.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Ana Egana Production Scientist

08 Nov 2021

Nick Privitera

Packaging Quality Control Inspector

08 Nov 2021

E0554S / Lot: 10127297

Page 2 of 2