

## New England Biolabs Certificate of Analysis

**Product Name:** LunaScript® Multiplex One-Step RT-PCR Kit  
**Catalog Number:** E1555S  
**Packaging Lot Number:** 10251187  
**Expiration Date:** 09/2025  
**Storage Temperature:** -20°C  
**Specification Version:** PS-E1555S/L v1.0

LunaScript® Multiplex One-Step RT-PCR Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M1557SVIAL	LunaScript® Multiplex One-Step RT-PCR Reaction Mix	10250823	<b>Pass</b>
M1556SVIAL	LunaScript® Multiplex One-Step RT-PCR Enzyme Mix	10250822	<b>Pass</b>
B1502AVIAL	Nuclease-free Water	10245817	<b>Pass</b>

Assay Name/Specification	Lot # 10251187
<p><b>* Individual Product Component Note</b> Standard Quality Control Tests are performed for each component included in LunaScript® Multiplex One-Step RT-PCR Kit and meet the designated specifications.</p>	<b>Pass</b>
<p><b>Functional Testing (RT-PCR, Multiplexing)</b> A 25 µl reaction in 1X LunaScript® Multiplex One-Step RT-PCR Reaction Mix containing 0.1 ng of total RNA, 1X LunaScript® Multiplex One-Step RT-PCR Enzyme Mix, and 0.33 µM primers for 40 cycles of PCR amplification results in the expected three products.</p>	<b>Pass</b>
<p><b>Functional Testing (RT-PCR, Sensitivity)</b> A 25 µl reaction in 1X LunaScript® Multiplex One-Step RT-PCR Reaction Mix containing 1 pg of total RNA, 1X LunaScript® Multiplex One-Step RT-PCR Enzyme Mix, and 0.5 µM primers for 40 cycles of PCR amplification results in the expected 566 bp product.</p>	<b>Pass</b>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Trinh Nguyen  
Production Scientist  
16 Aug 2024



---

Michael Tonello  
Packaging Quality Control Inspector  
23 Aug 2024