

New England Biolabs Certificate of Analysis

Product Name: SARS-CoV-2 Rapid Colorimetric LAMP Assay Kit
Catalog Number: E2019S
Packaging Lot Number: 10091674
Expiration Date: 09/2021
Storage Temperature: -20°C
Specification Version: PS-E2019S v1.0

SARS-CoV-2 Rapid Colorimetric LAMP Assay Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S1883AVIAL	SARS-CoV-2 LAMP Primer Mix (N/E)	10085159	Pass
S0164AVIAL	Internal Control LAMP Primer Mix (rActin)	10085158	Pass
N2117AVIAL	SARS-CoV-2 Positive Control (N gene)	10083036	Pass
M1804SVIAL	WarmStart® Colorimetric LAMP 2X Master Mix with UDG	10094081	Pass
B2619AVIAL	Guanidine Hydrochloride	10085160	Pass
B1502AVIAL	Nuclease-free Water	10074615	Pass

Assay Name/Specification	Lot # 10091674
Functional Testing (RT-LAMP, SARS-CoV-2) SARS-CoV-2 Rapid Colorimetric LAMP Assay Kit is functionally tested and compared to a previous kit lot using human total RNA and human total RNA spiked with synthetic SARS-COV-2 RNA in a 30-minute colorimetric LAMP assay at 65°C. Prior to isothermal incubation, all assembled reactions must be pink. Following incubation, internal control reactions containing human total RNA with and without SARS-CoV-2 RNA and SARS-CoV-2 Positive Control reactions must result in a color change indicating positive detection while reactions that lack template remain pink. SARS-CoV-2 reactions containing human total RNA spiked with SARS-CoV-2 RNA must result in a color change indicating positive detection observable down to 50 copies while reactions that lack template remain pink.	Pass
* Individual Product Component Note	Pass


Assay Name/Specification	Lot # 10091674
Standard Quality Control Tests are performed for each component included in SARS-CoV-2 Rapid Colorimetric LAMP Assay Kit and meet the designated specifications.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Christie Vazquez
Production Scientist
21 Dec 2020



Michael Tonello
Packaging Quality Control Inspector
21 Dec 2020