

be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name:	SARS-CoV-2 Rapid Colorimetric LAMP Assay Kit
Catalog Number:	E2019S
Packaging Lot Number:	10190486
Expiration Date:	01/2024
Storage Temperature:	-20°C
Specification Version:	PS-E2019S v2.0

SARS-CoV-2 Rapid Colorimetric LAMP Assay Kit Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
S1883AVIAL	SARS-CoV-2 LAMP Primer Mix (N/E)	10162328	Pass	
S0164AVIAL	Internal Control LAMP Primer Mix (rActin)	10158276	Pass	
N2117SVIAL	SARS-CoV-2 Positive Control (N gene)	10151281	Pass	
M1804SVIAL	WarmStart® Colorimetric LAMP 2X Master Mix with UDG	10175743	Pass	
B2619AVIAL	Guanidine Hydrochloride	10154424	Pass	
B1502AVIAL	Nuclease-free Water	10170341	Pass	

Assay Name/Specification	Lot # 10190486
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in	
SARS-CoV-2 Rapid Colorimetric LAMP Assay Kit and meet the designated specifications.	
Functional Testing (RT-LAMP, SARS-CoV-2)	Pass
SARS-CoV-2 Rapid Colorimetric LAMP Assay Kit is functionally tested and compared to	
a previous kit lot using human total RNA and human total RNA spiked with synthetic	
SARS-COV-2 RNA in a 30-minute colorimetric LAMP assay at 65°C. Prior to isothermal	
incubation, all assembled reactions must be pink. Following incubation, internal	
control reactions containing human total RNA with and without SARS-CoV-2 RNA and	
SARS-CoV-2 Positive Control reactions must result in a color change indicating	
positive detection while reactions that lack template remain pink. SARS-CoV-2	
reactions containing human total RNA spiked with SARS-CoV-2 RNA must result in a	
color change indicating positive detection observable down to 50 copies while	





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Assay Name/Specification	Lot # 10190486
reactions that lack template remain pink.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Lea Antonpoulos Production Scientis 08 Feb 2023

Michae 1...

Michael Tonello Packaging Quality Control Inspector 03 May 2023

