

New England Biolabs Certificate of Analysis


Product Name: *EnGen® sgRNA Synthesis Kit, S. pyogenes*
Catalog Number: E3322S
Packaging Lot Number: 10242329
Expiration Date: 11/2025
Storage Temperature: -20°C
Specification Version: PS-E3322S/V v2.0

EnGen® sgRNA Synthesis Kit, S. pyogenes Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S3321AVIAL	sgRNA Control Oligo, S. py	10212377	Pass
N3320AVIAL	EnGen® 2X sgRNA Reaction Mix, S. pyogenes	10226191	Pass
M3322AVIAL	EnGen® sgRNA Enzyme Mix	10226189	Pass
M0303AAVIAL	DNase I (RNase-free)	10215524	Pass
B1222AVIAL	0.1M DTT	10242838	Pass


Assay Name/Specification	Lot # 10242329
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in EnGen® sgRNA Synthesis Kit, S. pyogenes and meet the designated specifications.</p>	Pass
<p>Functional Testing (RNA Synthesis, Yield) A 20 µl reaction in the presence of 1X EnGen® sgRNA Reaction Mix containing 0.25 µM EnGen® sgRNA Control Oligo and 1 µl of 0.1M DTT with 2 µl of the EnGen® sgRNA Enzyme Mix incubated for 30 minutes at 37°C results in a minimum of 15 µg of sgRNA as determined by OD 260 and gel electrophoresis.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Dongxian Yue
Production Scientist
27 Oct 2023



Michael Tonello
Packaging Quality Control Inspector
25 Jun 2024