

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: NEBNext® rRNA Depletion Kit (Human/Mouse/Rat)

Catalog Number: E6310S
Packaging Lot Number: 10180613
Expiration Date: 04/2025
Storage Temperature: -20°C

Specification Version: PS-E6310S/L/X/B v1.0

NEBNext® rRNA Depletion Kit (Human/Mouse/Rat) Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
E6318-2VIAL	NEBNext® RNase H	10180623	Pass	
E6317-2VIAL	Nuclease-free Water	10180622	Pass	
E6316-2VIAL	DNase I (RNase-free)	10180621	Pass	
E6315-2VIAL	DNase I Reaction Buffer	10180620	Pass	
E6314-2VIAL	NEBNext® Probe Hybridization Buffer	10180619	Pass	
E6313-2VIAL	NEBNext® rRNA Depletion Solution	10180618	Pass	
E6312-2VIAL	RNase H Reaction Buffer	10180617	Pass	

Assay Name/Specification	Lot # 10180613
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
rRNA Depletion Kit (Human/Mouse/Rat) and meet the designated specifications.	
Functional Testing (rRNA Depletion)	Pass
The NEBNext rRNA Depletion Kit is functionally validated using commercially	
available human RNA (e.g. UHRR). After treatment with the kit, a high throughput	
sequencing library is made and sequenced. Reads from this library are classified as	
being derived from ribosomal RNA based on sequence homology. This method produces	
libraries with less than 10% rRNA.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E6310S / Lot: 10180613



240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

**Christine Sumner Production Scientist** 24 Apr 2023

Josh Hersey Packaging Quality Control Inspector

02 May 2023



E6310S / Lot: 10180613

Page 2 of 2