

be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

NEBNext® rRNA Depletion Kit (Human/Mouse/Rat)
E6310X
10010101
12/2019
-20°C
PS-E6310S/L/X/B v1.0

NEBNext® rRNA Depletion Kit (Human/Mouse/Rat) Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
E6318-4VIAL	NEBNext® RNase H	0071712	Pass	
E6317-4VIAL	Nuclease-free Water	0011712	Pass	
E6316-4VIAL	DNase I (RNase-free)	0181712	Pass	
E6315-4VIAL	DNase I Reaction Buffer	0051712	Pass	
E6314-4VIAL	NEBNext® Probe Hybridization Buffer	0071712	Pass	
E6313-4VIAL	NEBNext® rRNA Depletion Solution	0041712	Pass	
E6312-4VIAL	RNase H Reaction Buffer	0141712	Pass	

Assay Name/Specification	Lot # 10010101
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
rRNA Depletion Kit (Human/Mouse/Rat) and meet the designated specifications.	
Functional Testing (rRNA Depletion)	Pass
The NEBNext rRNA Depletion Kit is functionally validated using commercially	
available human RNA (e.g. UHRR). After treatment with the kit, a high throughput	
sequencing library is made and sequenced. Reads from this library are classified as	
being derived from ribosomal RNA based on sequence homology. This method produces	
libraries with less than 10% rRNA.	

This product has been tested and shown to be in compliance with all specifications.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

notin-

Christine Sumner Production Scientist 24 May 2018

Michae on. V

Michael Tonello Packaging Quality Control Inspector 24 May 2018

