

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® rRNA Depletion Kit (Human/Mouse/Rat)

Catalog Number: E6310X
Packaging Lot Number: 10133610
Expiration Date: 12/2023
Storage Temperature: -20°C

Specification Version: PS-E6310S/L/X/B v1.0

NEBNext® rRNA Depletion Kit (Human/Mouse/Rat) Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
E6318-4VIAL	NEBNext® RNase H	10126181	Pass	
E6317-4VIAL	Nuclease-free Water	10126180	Pass	
E6316-4VIAL	DNase I (RNase-free)	10126179	Pass	
E6315-4VIAL	DNase I Reaction Buffer	10126178	Pass	
E6314-4VIAL	NEBNext® Probe Hybridization Buffer	10126177	Pass	
E6313-4VIAL	NEBNext® rRNA Depletion Solution	10126176	Pass	
E6312-4VIAL	RNase H Reaction Buffer	10126175	Pass	

Assay Name/Specification	Lot # 10133610
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
rRNA Depletion Kit (Human/Mouse/Rat) and meet the designated specifications.	
Functional Testing (rRNA Depletion)	Pass
The NEBNext rRNA Depletion Kit is functionally validated using commercially	
available human RNA (e.g. UHRR). After treatment with the kit, a high throughput	
sequencing library is made and sequenced. Reads from this library are classified as	
being derived from ribosomal RNA based on sequence homology. This method produces	
libraries with less than 10% rRNA.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E6310X / Lot: 10133610

Page 1 of 2



240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Christin Summ

Christine Sumner Production Scientist 15 Dec 2021 Michael Tonello

Packaging Quality Control Inspector

15 Dec 2021

E6310X / Lot: 10133610

Page 2 of 2