

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	ProtoScript® II First Strand cDNA Synthesis Kit
Catalog Number:	E6560L
Packaging Lot Number:	10097825
Expiration Date:	10/2022
Storage Temperature:	-20°C
Specification Version:	PS-E6560S/L v1.0

ProtoScript® II First Strand cDNA Synthesis Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E6560S	ProtoScript® II First Strand cDNA Synthesis Kit	10097824	Pass

Assay Name/Specification	Lot # 10097825
Functional Testing (RT-PCR, Length) The performance of ProtoScript® II Reaction Mix with 1X ProtoScript® II Enzyme Mix is tested in a 20 μ I RT reaction with 0.5 μ g Human total RNA. The length of the product is verified by amplification of fibrillin using 0.4 μ I of the RT reaction and 40 cycles of PCR amplification resulting in the expected 9.2 kb product.	Pass
Functional Testing (RT-PCR, Sensitivity) The performance of ProtoScript® II Reaction Mix with 1X ProtoScript® II Enzyme Mix is tested in a 20 μ I RT reaction with 20 pg Human total RNA. The sensitivity of the product is verified by amplification of GAPDH using 0.4 μ I of the RT reaction and 35 cycles of PCR amplification resulting in the expected product.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in ProtoScript® II First Strand cDNA Synthesis Kit and meet the designated specifications.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Vayanez hristie

Christie Vazquez Production Scientist 25 Jan 2021

Michae +110

Michael Tonello Packaging Quality Control Inspector 25 Jan 2021

