

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: PURExpress® Disulfide Bond Enhancer

Catalog Number: E6820S
Packaging Lot Number: 10193215
Expiration Date: 05/2025
Storage Temperature: -20°C

Specification Version: PS-E6820S v1.0

PURExpress® Disulfide Bond Enhancer Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
P6821AVIAL	PURExpress® Disulfide Bond Enhancer 1	10190438	Pass	
B6822AVIAL	Enhancer 2	10192869	Pass	

Assay Name/Specification	Lot # 10193215
Functional Testing (Cell-Free Protein Synthesis Assay, vTPA) A 25 µl reaction in the presence of 250 ng vTPA (truncated tissue plasminogen activator) template plasmid DNA, 1 µl Enhancer 1, 1 µl Enhancer 2, and 20 units of RNase Inhibitor containing the components of the PURExpress® In Vitro Protein Synthesis Kit incubated for 2 hours at 37°C results in the expected 40 kDa product as determined by SDS-PAGE with Coomassie Blue detection.	Pass
Functional Testing (vTPA Activity Assay) Five (5) µl of PURExpress® vTPA protein synthesis reaction is incubated with 0.4 mM chromozym t-PA substrate in 100 mM Tris pH 8.0 and 0.15% Tween® 80 at 37°C for 1 hour. Absorbance readings at 405 nm are taken every 2 minutes in a kinetic assay. An increase in absorbance at 405 nm over time indicates the formation of 4-nitraniline as detected by spectrophotometric analysis.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E6820S / Lot: 10193215

Page 1 of 2

Emily Chen

**Production Scientist** 

17 May 2023

Josh Hersey Packaging Quality Control Inspector

26 May 2023

E6820S / Lot: 10193215

Page 2 of 2