

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Enzymatic Methyl-seq Conversion Module

Catalog Number: E7125G
Packaging Lot Number: 10177627
Expiration Date: 09/2023
Storage Temperature: -20°C

Specification Version: PS-E7125S/L/G v2.0

NEBNext® Enzymatic Methyl-seq Conversion Module Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7139AAVIAL	DTT	10158719	Pass
E7135GVIAL	BSA	10158718	Pass
E7134GVIAL	APOBEC Reaction Buffer	10158717	Pass
E7133GVIAL	APOBEC	10158716	Pass
E7132GVIAL	Stop Reagent	10158715	Pass
E7131GVIAL	Fe (II) Solution	10158714	Pass
E7130GVIAL	TET2	10158713	Pass
E7129GVIAL	Oxidation Enhancer	10158712	Pass
E7128GVIAL	Oxidation Supplement	10158711	Pass
E7127AVIAL	TET2 Reaction Buffer Supplement	10158709	Pass
E7126GVIAL	TET2 Reaction Buffer	10158707	Pass
E7124GVIAL	Elution Buffer	10158705	Pass
E7123GVIAL	Control DNA unmethylated Lambda	10158703	Pass
E7122GVIAL	Control DNA CpG methylated pUC19	10158701	Pass

Assay Name/Specification	Lot # 10177627
Functional Testing (Library Construction)	Pass
Each set of reagents is functionally validated and compared to the previous lot	
through construction of libraries made from genomic DNA and DNA controls (CpG	
methylated pUC19 and unmethylated Lambda), that are required for assessment of 5mC	
and 5hmC. The kit's minimum and maximum DNA input requirements are used to make	
libraries that are sequenced on the same Illumina® flow cell. Library assessment is	
based on metrics including library yields, GC bias, insert size, and the percent	
5mC/5hmC detected for CpG, CHG, CHH contexts within the genomic DNA and internal	
controls.	
* Individual Product Component Note	Pass



E7125G / Lot: 10177627

Page 1 of 2

Assay Name/Specification	Lot # 10177627
Standard Quality Control Tests are performed for each component included in NEBNext®	
Enzymatic Methyl-seq Conversion Module and meet the designated specifications.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christine Sumner Production Scientist

18 Jan 2023

Michael Tonello

Packaging Quality Control Inspector

18 Jan 2023

