

be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

IEBNext® Enzymatic Methyl-seq Conversion Module
7125L
0101421
0/2021
20°C
PS-E7125S/L/G v2.0

NEBNext® Enzymatic Methyl-seq Conversion Module Component List					
NEB Part Number	Component Description	Lot Number	Individual QC Result		
E7139AAVIAL	DTT	10083258	Pass		
E7135AAVIAL	BSA	10083252	Pass		
E7134AAVIAL	APOBEC Reaction Buffer	10083250	Pass		
E7133AAVIAL	APOBEC	10083248	Pass		
E7132AAVIAL	Stop Reagent	10083247	Pass		
E7131AAVIAL	Fe (II) Solution	10083246	Pass		
E7130AAVIAL	TET2	10083245	Pass		
E7129AAVIAL	Oxidation Enhancer	10083244	Pass		
E7128AAVIAL	Oxidation Supplement	10083242	Pass		
E7127AAVIAL	TET2 Reaction Buffer Supplement	10083241	Pass		
E7126AAVIAL	TET2 Reaction Buffer	10083240	Pass		
E7124AAVIAL	Elution Buffer	10083239	Pass		
E7123AAVIAL	Control DNA unmethylated Lambda	10083233	Pass		
E7122AAVIAL	Control DNA CpG methylated pUC19	10083231	Pass		

Assay Name/Specification	Lot # 10101421
Functional Testing (Library Construction) Each set of reagents is functionally validated and compared to the previous lot through construction of libraries made from genomic DNA and DNA controls (CpG methylated pUC19 and unmethylated Lambda), that are required for assessment of 5mC and 5hmC. The kit's minimum and maximum DNA input requirements are used to make libraries that are sequenced on the same Illumina® flow cell. Library assessment is based on metrics including library yields, GC bias, insert size, and the percent 5mC/5hmC detected for CpG, CHG, CHH contexts within the genomic DNA and internal controls.	Pass
* Individual Product Component Note	Pass





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Assay Name/Specification	Lot # 10101421
Standard Quality Control Tests are performed for each component included in NEBNext®	
Enzymatic Methyl-seq Conversion Module and meet the designated specifications.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

notin A

Christine Sumner Production Scientist 23 Feb 2021

Michae Hould

Michael Tonello Packaging Quality Control Inspector 23 Feb 2021

