

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Enzymatic Methyl-seq Conversion Module

Catalog Number: E7125L
Packaging Lot Number: 10144228
Expiration Date: 12/2022
Storage Temperature: -20°C

Specification Version: PS-E7125S/L/G v2.0

NEBNext® Enzymatic Methyl-seq Conversion Module Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
E7139AAVIAL	DTT	10127111	Pass	
E7135AAVIAL	BSA	10127110	Pass	
E7134AAVIAL	APOBEC Reaction Buffer	10127109	Pass	
E7133AAVIAL	APOBEC	10127108	Pass	
E7132AAVIAL	Stop Reagent	10127107	Pass	
E7131AAVIAL	Fe (II) Solution	10127105	Pass	
E7130AAVIAL	TET2	10127104	Pass	
E7129AAVIAL	Oxidation Enhancer	10127103	Pass	
E7128AAVIAL	Oxidation Supplement	10127102	Pass	
E7127AAVIAL	TET2 Reaction Buffer Supplement	10127101	Pass	
E7126AAVIAL	TET2 Reaction Buffer	10127100	Pass	
E7124AAVIAL	Elution Buffer	10127099	Pass	
E7123AAVIAL	Control DNA unmethylated Lambda	10127098	Pass	
E7122AAVIAL	Control DNA CpG methylated pUC19	10127097	Pass	

Assay Name/Specification	Lot # 10144228
Functional Testing (Library Construction)	Pass
Each set of reagents is functionally validated and compared to the previous lot	
through construction of libraries made from genomic DNA and DNA controls (CpG	
methylated pUC19 and unmethylated Lambda), that are required for assessment of 5mC	
and 5hmC. The kit's minimum and maximum DNA input requirements are used to make	
libraries that are sequenced on the same Illumina® flow cell. Library assessment is	
based on metrics including library yields, GC bias, insert size, and the percent	
5mC/5hmC detected for CpG, CHG, CHH contexts within the genomic DNA and internal	
controls.	
* Individual Product Component Note	Pass



E7125L / Lot: 10144228 Page 1 of 2

Assay Name/Specification	Lot # 10144228
Standard Quality Control Tests are performed for each component included in NEBNext®	
Enzymatic Methyl-seq Conversion Module and meet the designated specifications.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christine Sumner Production Scientist

04 Mar 2022

Michael Tonello

Packaging Quality Control Inspector

04 Mar 2022

