

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: NEBNext® Enzymatic Methyl-seq Conversion Module

Catalog Number: E7125L
Packaging Lot Number: 10188607
Expiration Date: 05/2024
Storage Temperature: -20°C

Specification Version: PS-E7125S/L/G v2.0

NEBNext® Enzymatic Methyl-seq Conversion Module Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7139AAVIAL	DTT	10188621	Pass
E7135AAVIAL	BSA	10188620	Pass
E7134AAVIAL	APOBEC Reaction Buffer	10188619	Pass
E7133AAVIAL	APOBEC	10188618	Pass
E7132AAVIAL	Stop Reagent	10188617	Pass
E7131AAVIAL	Fe (II) Solution	10188616	Pass
E7130AAVIAL	TET2	10188615	Pass
E7129AAVIAL	Oxidation Enhancer	10188614	Pass
E7128AAVIAL	Oxidation Supplement	10188613	Pass
E7127AAVIAL	TET2 Reaction Buffer Supplement	10188612	Pass
E7126AAVIAL	TET2 Reaction Buffer	10188611	Pass
E7124AAVIAL	Elution Buffer	10188610	Pass
E7123AAVIAL	Control DNA unmethylated Lambda	10188609	Pass
E7122AAVIAL	Control DNA CpG methylated pUC19	10188608	Pass

Assay Name/Specification	Lot # 10188607
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
Enzymatic Methyl-seq Conversion Module and meet the designated specifications.	
Functional Testing (Library Construction)	Pass
Each set of reagents is functionally validated and compared to the previous lot	
through construction of libraries made from genomic DNA and DNA controls (CpG	
methylated pUC19 and unmethylated Lambda), that are required for assessment of 5mC	
and 5hmC. The kit's minimum and maximum DNA input requirements are used to make	
libraries that are sequenced on the same Illumina® flow cell. Library assessment is	
based on metrics including library yields, GC bias, insert size, and the percent	



E7125L / Lot: 10188607 Page 1 of 2

Assay Name/Specification	Lot # 10188607
5mC/5hmC detected for CpG, CHG, CHH contexts within the genomic DNA and internal controls.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christine Sumner Production Scientist

29 Jun 2023

Michael Tonello

Packaging Quality Control Inspector

19 Sep 2023

