

## New England Biolabs Certificate of Analysis

Product Name: NEBNext® Enzymatic Methyl-seq Conversion Module  
 Catalog Number: E7125S  
 Packaging Lot Number: 10094280  
 Expiration Date: 10/2021  
 Storage Temperature: -20°C  
 Specification Version: PS-E7125S/L/G v2.0

NEBNext® Enzymatic Methyl-seq Conversion Module Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7139AAVIAL	DTT	10083284	Pass
E7135AVIAL	BSA	10083282	Pass
E7134AVIAL	APOBEC Reaction Buffer	10083281	Pass
E7133AVIAL	APOBEC	10083280	Pass
E7132AVIAL	Stop Reagent	10083279	Pass
E7131AVIAL	Fe (II) Solution	10083278	Pass
E7130AVIAL	TET2	10083277	Pass
E7129AVIAL	Oxidation Enhancer	10083276	Pass
E7128AVIAL	Oxidation Supplement	10083275	Pass
E7127AVIAL	TET2 Reaction Buffer Supplement	10083274	Pass
E7126AVIAL	TET2 Reaction Buffer	10083273	Pass
E7124AVIAL	Elution Buffer	10083272	Pass
E7123AVIAL	Control DNA unmethylated Lambda	10083271	Pass
E7122AVIAL	Control DNA CpG methylated pUC19	10083270	Pass

Assay Name/Specification	Lot # 10094280
<b>Functional Testing (Library Construction)</b> Each set of reagents is functionally validated and compared to the previous lot through construction of libraries made from genomic DNA and DNA controls (CpG methylated pUC19 and unmethylated Lambda), that are required for assessment of 5mC and 5hmC. The kit's minimum and maximum DNA input requirements are used to make libraries that are sequenced on the same Illumina® flow cell. Library assessment is based on metrics including library yields, GC bias, insert size, and the percent 5mC/5hmC detected for CpG, CHG, CHH contexts within the genomic DNA and internal controls.	Pass
<b>* Individual Product Component Note</b>	Pass

Assay Name/Specification	Lot # 10094280
Standard Quality Control Tests are performed for each component included in NEBNext <sup>®</sup> Enzymatic Methyl-seq Conversion Module and meet the designated specifications.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Christine Sumner  
Production Scientist  
16 Dec 2020



---

Michael Tonello  
Packaging Quality Control Inspector  
16 Dec 2020