

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Enzymatic Methyl-seq Conversion Module

Catalog Number: E7125S
Packaging Lot Number: 10148423
Expiration Date: 12/2022
Storage Temperature: -20°C

Specification Version: PS-E7125S/L/G v2.0

NEBNext® Enzymatic Methyl-seq Conversion Module Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7139AAVIAL	DTT	10127126	Pass
E7135AVIAL	BSA	10127125	Pass
E7134AVIAL	APOBEC Reaction Buffer	10127124	Pass
E7133AVIAL	APOBEC	10127123	Pass
E7132AVIAL	Stop Reagent	10127121	Pass
E7131AVIAL	Fe (II) Solution	10127120	Pass
E7130AVIAL	TET2	10127119	Pass
E7129AVIAL	Oxidation Enhancer	10127118	Pass
E7128AVIAL	Oxidation Supplement	10127117	Pass
E7127AVIAL	TET2 Reaction Buffer Supplement	10127116	Pass
E7126AVIAL	TET2 Reaction Buffer	10127115	Pass
E7124AVIAL	Elution Buffer	10127114	Pass
E7123AVIAL	Control DNA unmethylated Lambda	10127113	Pass
E7122AVIAL	Control DNA CpG methylated pUC19	10127112	Pass

Assay Name/Specification	Lot # 10148423
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
Enzymatic Methyl-seq Conversion Module and meet the designated specifications.	
Functional Testing (Library Construction)	Pass
Each set of reagents is functionally validated and compared to the previous lot	
through construction of libraries made from genomic DNA and DNA controls (CpG	
methylated pUC19 and unmethylated Lambda), that are required for assessment of 5mC	
and 5hmC. The kit's minimum and maximum DNA input requirements are used to make	
libraries that are sequenced on the same Illumina® flow cell. Library assessment is	
based on metrics including library yields, GC bias, insert size, and the percent	



E7125S / Lot: 10148423 Page 1 of 2

Assay Name/Specification	Lot # 10148423
5mC/5hmC detected for CpG, CHG, CHH contexts within the genomic DNA and internal	
controls.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christine Sumner Production Scientist

12 Apr 2022

Michael Tonello

Packaging Quality Control Inspector

12 Apr 2022

