

## New England Biolabs Certificate of Analysis


*Product Name:* NEBNext® ARTIC SARS-CoV-2 RT-PCR Module  
*Catalog Number:* E7626L  
*Packaging Lot Number:* 10113149  
*Expiration Date:* 07/2022  
*Storage Temperature:* -20°C  
*Specification Version:* PS-E7626S/L v2.0

NEBNext® ARTIC SARS-CoV-2 RT-PCR Module Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E8006AAVIAL	NEBNext® VarSkip Short SARS-CoV-2 Primer Mix 2	10126929	Pass
E8005AAVIAL	NEBNext® VarSkip Short SARS-CoV-2 Primer Mix 1	10126858	Pass
E7726AAVIAL	NEBNext® ARTIC SARS-CoV-2 Primer Mix 2	10113156	Pass
E7725AAVIAL	NEBNext® ARTIC SARS-CoV-2 Primer Mix 1	10113155	Pass
E7667AVIAL	Nuclease-free Water	10113154	Pass
E7657AVIAL	0.1X TE	10113153	Pass
E7652AAVIAL	Q5® Hot Start High-Fidelity 2X Master Mi	10113152	Pass
E7651AAVIAL	LunaScript™ RT SuperMix	10113151	Pass

Assay Name/Specification	Lot # 10113149
<p><b>* Individual Product Component Note</b>            Standard Quality Control Tests are performed for each component included in NEBNext® ARTIC SARS-CoV-2 RT-PCR Module and meet the designated specifications.</p>	Pass
<p><b>Functional Testing (ARTIC RT-PCR Module)</b>            Each set of reagents is functionally validated through construction of libraries made from 1000 copies of commercially available SARS-CoV-2 RNA in a background of 100ng of human reference RNA. A fragmentation time of 30 minutes is used to generate an insert size of approximately 100 bp. The final average library size is between 200 bp and 600 bp as determined by an Agilent Bioanalyzer® or TapeStation®. Libraries are sequenced together on an Illumina® flow cell and assessed across various metrics including library yield, mapping rate to the SARS-CoV-2 genome and amplicon coverage. For 0.5 million paired end reads, all expected amplicons are covered by at least 100 overlapping reads.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Christine Sumner  
Production Scientist  
09 Sep 2021



---

Michael Tonello  
Packaging Quality Control Inspector  
04 Jan 2022