

## New England Biolabs Certificate of Analysis


**Product Name:** NEBNext® Library Quant Kit for Illumina®  
**Catalog Number:** E7630S  
**Packaging Lot Number:** 10258305  
**Expiration Date:** 10/2026  
**Storage Temperature:** -20°C  
**Specification Version:** PS-E7630S/L v2.0

NEBNext® Library Quant Kit for Illumina® Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7641AVIAL	ROX (High)	10258322	Pass
E7640AVIAL	NEBNext® Library Quant Master Mix	10258308	Pass
E7639AVIAL	NEBNext® Library Quant Primer Mix	10258310	Pass
E7638AVIAL	ROX (Low)	10258323	Pass
E7633AVIAL	NEBNext® Library Dilution Buffer	10258312	Pass
E6891AVIAL	NEBNext® Library Quant DNA Standard 6	10258321	Pass
E6890AVIAL	NEBNext® Library Quant DNA Standard 5	10258320	Pass
E6889AVIAL	NEBNext® Library Quant DNA Standard 4	10258319	Pass
E6888AVIAL	NEBNext® Library Quant DNA Standard 3	10258318	Pass
E6887AVIAL	NEBNext® Library Quant DNA Standard 2	10258316	Pass
E6886AVIAL	NEBNext® Library Quant DNA Standard 1	10258314	Pass

Assay Name/Specification	Lot # 10258305
<p><b>* Individual Product Component Note</b> Standard Quality Control Tests are performed for each component included in NEBNext® Library Quant Kit for Illumina® and meet the designated specifications.</p>	<b>Pass</b>
<p><b>Functional Testing (qPCR, Standard Curve)</b> NEBNext® Library Quant Kit for Illumina® is functionally tested with qPCR using the following criteria for PCR efficiency, fluorescence values, and no-template control (NTC) amplification. Seven, 20 µl reactions are run in triplicate in 1X NEBNext® Library Quant Master Mix and 1X NEBNext® Library Quant Primer Mix containing NEBNext® Library Quant DNA Standards 1-6 and a no-template control for 35 cycles of PCR amplification, resulting in a standard curve with a calculated PCR efficiency of 90-100% and a no-template control threshold cycle of &gt;30 Cq.</p>	<b>Pass</b>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Christine Sumner  
Production Scientist  
11 Dec 2024



---

Michael Tonello  
Packaging Quality Control Inspector  
19 Mar 2025