

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Multiplex Oligos for Illumina® (Index Primers Set 3)
Catalog Number: E7710S
Packaging Lot Number: 10121661
Expiration Date: 02/2023
Storage Temperature: -20°C
Specification Version: PS-E7710S/L v1.0

NEBNext® Multiplex Oligos for Illumina® (Index Primers Set 3) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7736AVIAL	NEBNext® Index 42 Primer for Illumina®	10095998	Pass
E7722AVIAL	NEBNext® Index 36 Primer for Illumina®	10095993	Pass
E7721AVIAL	NEBNext® Index 35 Primer for Illumina®	10095992	Pass
E7720AVIAL	NEBNext® Index 34 Primer for Illumina®	10095991	Pass
E7719AVIAL	NEBNext® Index 33 Primer for Illumina®	10095990	Pass
E7718AVIAL	NEBNext® Index 32 Primer for Illumina®	10095989	Pass
E7717AVIAL	NEBNext® Index 31 Primer for Illumina®	10095988	Pass
E7715AVIAL	NEBNext® Index 29 Primer for Illumina®	10095987	Pass
E7714AVIAL	NEBNext® Index 28 Primer for Illumina®	10095986	Pass
E7713AVIAL	NEBNext® Index 26 Primer for Illumina®	10095985	Pass
E7592AVIAL	NEBNext® Index 24 Primer for Illumina®	10095999	Pass
E7585AVIAL	NEBNext® Index 17 Primer for Illumina®	10096000	Pass
E7338AVIAL	USER® Enzyme	10095996	Pass
E7337AVIAL	NEBNext® Adaptor for Illumina®	10095995	Pass
E6861AVIAL	NEBNext® Universal PCR Primer for Illumina®	10095994	Pass

Assay Name/Specification	Lot # 10121661
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext® Multiplex Oligos for Illumina® (Index Primers Set 3) and meet the designated specifications.</p>	Pass
<p>Functional Testing (Library Construction, Oligo) Each set of reagents is functionally validated through construction of libraries made from commercially available genomic DNA. Libraries are made from each unique barcoded oligonucleotide and are sequenced together on the same Illumina flow cell and compared across various metrics including library yield, fraction of reads</p>	Pass

Assay Name/Specification	Lot # 10121661
aligning to the reference, GC bias, and insert size.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Christine Sumner
Production Scientist
13 Sep 2021



Michael Tonello
Packaging Quality Control Inspector
13 Sep 2021