

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Anti-MBP Magnetic Beads

Catalog Number: E8037S
Concentration: 10 mg/ml
Packaging Lot Number: 10096927
Expiration Date: 02/2024
Storage Temperature: 4°C

Storage Conditions: 0.02 % NaN3, 0.1 % BSA, 0.05 % Tween® 20, 1 X PBS, (pH 7.4 @ 25°C)

Specification Version: PS-E8037S v1.0

Anti-MBP Magnetic Beads Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E8037SVIAL	Anti-MBP Magnetic Beads	10096926	Pass

Assay Name/Specification	Lot # 10096927
Functional Binding Assay (Qualitative) Anti-MBP Magnetic Beads (1 mg) were equilibrated and incubated with 500 μl of crude extract from E. coli containing a plasmid that expresses a MBP5*-paramyosinΔSal fusion protein for 2 hours at 25°C, then washed, eluted and evaluated by Tris-Glycine gel to confirm low non-specific binding of extract proteins and high isolation of target.	Pass
Binding Capacity (Magnetic Beads) Anti-MBP Magnetic Beads (1 mg) were equilibrated and incubated with 200 μl of crude extract from E. coli containing a plasmid that expresses a MBP5*-paramyosinΔSal fusion protein for 2 hours at 25°C, then washed and the MBP5*-paramyosinΔSal fusion protein eluted. Binding capacity was determined to be >5 μg of MBP5*-paramyosinΔSal fusion protein per mg of beads.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



E8037S / Lot: 10096927

Page 1 of 2

Michael Sproviero
Production Scientist
05 Apr 2021

Michael Tonello

Packaging Quality Control Inspector

05 Apr 2021

E8037S / Lot: 10096927

Page 2 of 2