

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Exonuclease III (E.coli)

Catalog Number: M0206L
Concentration: 100,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to produce 1

nmol of acid-soluble total nucleotide in a total reaction volume of 50 µl in 30 minutes at 37°C in 1X NEBuffer 1 with 0.15 mM sonicated

duplex [3H]-DNA.

Packaging Lot Number: 10195359
Expiration Date: 10/2024
Storage Temperature: -20°C

Storage Conditions: 200 mM KCl, 5 mM KPO4, 0.05 mM EDTA, 5 mM βME, 50 % Glycerol, 200

μg/ml BSA, (pH 6.5 @ 25°C)

Specification Version: PS-M0206S/L v1.0

Exonuclease III (E.coli) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0206LVIAL	Exonuclease III (E.coli)	10167477	Pass
B7001SVIAL	NEBuffer™ 1	10167590	Pass

Assay Name/Specification	Lot # 10195359
Endonuclease Activity (Nicking) A 50 μl reaction in NEBuffer 1 containing 1 μg of supercoiled PhiX174 DNA and a minimum of 300 units of Exonuclease III (E. coli) incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) Exonuclease III (E. coli) is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
qPCR DNA Contamination (E. coli Genomic) A minimum of 100 units of Exonuclease III (E. coli) is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	Pass

This product has been tested and shown to be in compliance with all specifications.



M0206L / Lot: 10195359

Page 1 of 2



One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang Production Scientist

19 Oct 2022

Michael Tonello

Packaging Quality Control Inspector

16 Jun 2023