

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: ShortCut RNase III

Catalog Number: M0245S
Concentration: 2,000 U/ml

Unit Definition: One unit is the amount of enzyme required to digest 1 µg of dsRNA to

siRNA in 20 minutes at 37°C in a total reaction volume of 50 μl.

Lot Number: 1002468
Expiration Date: 08/2020
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl, 500 mM NaCl, 1 mM DTT, 0.5 mM EDTA, 50% Glycerol,

(pH 8.0 @ 25°C)

Specification Version: PS-M0245S/L v1.0

ShortCut RNase III Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0245SVIAL	ShortCut® RNase III	10017032	Pass
B1564SVIAL	Glycogen RNase-free	10017039	Pass
B0786AVIAL	MnCl ₂	10017037	Pass
B0255AVIAL	10X EDTA	10017038	Pass
B0245SVIAL	ShortCut Reaction Buffer	10017036	Pass

Assay Name/Specification	Lot # 10024686
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in ShortCut® Reaction Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 10 units of ShortCut® RNase III incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in ShortCut® Reaction Buffer containing 1 µg of Lambda-HindIII DNA and a minimum of 6 units of ShortCut® RNase III incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) ShortCut® RNase III is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion)	Pass



M0245S / Lot: 10024686

Page 1 of 2

Assay Name/Specification	Lot # 10024686
A 10 µl reaction in ShortCut® Reaction Buffer containing 40 ng of a 300 base	
single-stranded RNA and a minimum of 2 units of ShortCut® RNase III is incubated at	
37°C. After incubation for 1 hour, >90% of the substrate RNA remains intact as	
determined by gel electrophoresis using fluorescent detection.	

This product has been tested and shown to be in compliance with all specifications.

Tim Meixsell **Production Scientist**

07 Aug 2018

Josh Hersey Packaging Quality Control Inspector

01 Oct 2018

