

be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	T7 Exonuclease
Catalog Number:	M0263S
Concentration:	10,000 U/ml
Unit Definition:	One unit is defined as the amount of enzyme required to produce 1 nmol of acid-soluble deoxyribonucleotide in a total reaction volume of 50 μ l in 30 minutes at 37°C in 1X NEBuffer 4 with 0.15 mM sonicated duplex [³ H]-DNA.
Lot Number:	10009442
Expiration Date:	06/2020
Storage Temperature:	-20°C
Storage Conditions:	10 mM Tris-HCl, 5 mM DTT, 0.1 mM EDTA, 50 % Glycerol, (pH 8.0 @ 25°C)
Specification Version:	PS-M0263S/L v1.0

T7 Exonuclease Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0263SVIAL	T7 Exonuclease	10008850	Pass	
B7004SVIAL	NEBuffer™ 4	10012689	Pass	

Assay Name/Specification	Lot # 10009442
Endonuclease Activity (Nicking) A 50 µl reaction in NEBuffer 4 containing 1 µg of supercoiled PhiX174 DNA and a minimum of 100 units of T7 Exonuclease incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) T7 Exonuclease is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 10 units of T7 Exonuclease is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass
Single Stranded DNase Activity (FAM-Labeled Oligo) A 50 µl reaction in CutSmart® Buffer containing a 20 nM solution of a fluorescent	Pass





be INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

Assay Name/Specification	Lot # 10009442
internal labeled oligonucleotide and a minimum of 10 units of T7 Exonuclease	
incubated for 16 hours at 37°C yields <5% degradation as determined by capillary	
electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.

n J. Loei

John Greci Production Scientist 07 Jun 2018

Josh Hersey Packaging Quality Control Inspector 19 Jun 2018

