

New England Biolabs Certificate of Analysis

Product Name: *Endonuclease VIII*
Catalog Number: *M0299L*
Concentration: *10,000 U/ml*
Unit Definition: *One unit is defined as the amount of enzyme required to cleave 1 pmol of a 34-mer oligonucleotide duplex containing a single AP site in a total reaction volume of 10 µl in 1 hour at 37°C in 1X Endonuclease VIII Reaction Buffer containing 10 pmol of fluorescently labeled oligonucleotide duplex.*
Packaging Lot Number: *10160199*
Expiration Date: *08/2023*
Storage Temperature: *-20°C*
Storage Conditions: *10 mM Tris-HCl, 250 mM NaCl, 0.1 mM EDTA, 50 % Glycerol, (pH 8.0 @ 25°C)*
Specification Version: *PS-M0299S/L v1.0*

Endonuclease VIII Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0299LVIAL	Endonuclease VIII	10160198	Pass
B0299SVIAL	Endonuclease VIII Reaction Buffer	10101000	Pass

Assay Name/Specification	Lot # 10160199
Protein Purity Assay (SDS-PAGE) Endonuclease VIII is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in Endonuclease VIII Reaction Buffer containing 1 µg of Lambda-HindIII DNA and a minimum of 30 units of Endonuclease VIII incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in Endonuclease VIII Reaction Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 10 units of Endonuclease VIII incubated for 4 hours at 37°C releases <0.5% of the total radioactivity.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Lauren Higgins

Lauren Higgins
Production Scientist
03 Aug 2022

Michael Tonello

Michael Tonello
Packaging Quality Control Inspector
03 Aug 2022