

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Thermostable 5' App DNA/RNA Ligase

Catalog Number: M0319S
Concentration: 20 µM
Packaging Lot Number: 10116069
Expiration Date: 05/2023
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl , 50 mM KCl , 1 mM DTT , 0.1 mM EDTA , 50 % Glycerol,

(pH 7.4 @ 25°C)

Specification Version: PS-M0319S/L v1.0

Thermostable 5' App DNA/RNA Ligase Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
M0319SVIAL	Thermostable 5' App DNA/RNA Ligase	10116068	Pass	
B7001SVIAL	NEBuffer™ 1	10111607	Pass	
B0787AVIAL	MnCl <sub>2</sub>	10117459	Pass	

Assay Name/Specification	Lot # 10116069
Functional Testing (Targeted Ligation) A 20 μl reaction in 1X NEBuffer 1 containing 20 pmol of 30 bp FAM-labeled single-stranded RNA, 200 pmol 17 bp 5' pre-adenylated single-stranded DNA linker, and 40 pmol Thermostable 5' App DNA/RNA Ligase incubated for 1 hour at 65°C results in ≥80% ligation of the substrate RNA as determined by capillary electrophoresis.	Pass
Phosphatase Activity (pNPP) A 200 µl reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl2 containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 100 pmol of Thermostable 5' App DNA/RNA Ligase incubated for 16 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer 1 containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 100 pmol of Thermostable 5' App DNA/RNA Ligase incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 1 containing 40 ng of a 300 base single-stranded RNA	Pass



M0319S / Lot: 10116069 Page 1 of 2 This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Bhairavi Jani **Production Scientist** 

18 Oct 2021

electrophoresis.

Michael Tonello

Packaging Quality Control Inspector

18 Oct 2021



M0319S / Lot: 10116069

Page 2 of 2