

ERY 240 County Road E Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: SplintR® Ligase

Catalog Number: M0375L Concentration: 25,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme needed to ligate (to 50%

completion) 2 picomoles of a tripartite FAM-labeled DNA:RNA hybrid substrate in a 20 µl reaction at 25°C in 15 minutes in 1X SplintR®

Ligase Reaction Buffer.

Packaging Lot Number: 10095253
Expiration Date: 01/2023
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCI, 300 mM NaCI, 1 mM DTT, 0.1 mM EDTA, 50 %

Glycerol, (pH 7.4 @ 25°C)

Specification Version: PS-M0375S/L v1.0

SplintR® Ligase Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result
M0375LVIAL	SplintR® Ligase	10095252	Pass
B0375SVIAL	10X SplintR® Ligase Reaction Buffer	10085364	Pass

Assay Name/Specification	Lot # 10095253
Endonuclease Activity (Nicking) A 50 μl reaction in SplintR® Ligase Reaction Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 125 units of SplintR® Ligase incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in SplintR® Ligase Reaction Buffer containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 125 units of SplintR® Ligase incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Protein Purity Assay (SDS-PAGE) SplintR® Ligase is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA	Pass



M0375L / Lot: 10095253

Page 1 of 2



Assay Name/Specification	Lot # 10095253
and a minimum of 25 units of SplintR® Ligase is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Bhairavi Jani Production Scientist 18 Feb 2021 Michael Tonello Packaging Quality Control Inspector 18 Feb 2021

