

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	OneTaq® Quick-Load® 2X Master Mix with Standard Buffer
Catalog #:	M0486S/L
Concentration:	2X Concentrate
<i>Lot</i> #:	0231612
Assay Date:	12/2016
Expiration Date:	12/2018
Storage Temp:	-20°C
Composition (1X):	20 mM Tris-HCl (pH 8.9 @ 25°C), 22 mM KCl, 22 mM NH4 Cl, 1.8 mM MgCl2, 0.2 mM dATP, 0.2 mM dCTP, 0.2 mM dGTP, 0.2 mM dTTP, 5 % Glycerol, 0.06 % IGEPAL® CA-630, 0.05 % Tween® 20, 1 X Xylene cyanol, 1 X Tartrazine, 25 units/ml OneTaq® DNA Polymerase
Specification Version:	<i>PS-M0486S/L v2.0</i>
Effective Date:	15 May 2017

Assay Name/Specification (minimum release criteria)	Lot #0231612
Non-Specific DNase Activity (16 hour, Buffer) - A 50 μ l reaction in 1X One <i>Taq</i> ® Quick-Load® Master Mix with Standard Buffer containing 1 μ g of T3 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
PCR Amplification (5 kb Lambda, Master Mix) - A 25 μ l reaction in 1X One <i>Taq</i> ® Quick-Load® Master Mix with Standard Buffer and 0.2 μ M primers containing 5 ng Lambda DNA for 25 cycles of PCR amplification results in the expected 5 kb product.	Pass
RNase Activity (Extended Digestion) - A 10 μ l reaction in NEBuffer 4 containing 40 ng of a 300 base single- stranded RNA and a minimum of 1 μ l of One <i>Taq</i> ® Quick-Load® 2X Master Mix with Standard Buffer is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass

le

Authorized by Karen Moreira 15 May 2017



74 ~

Inspected by Lynne Apone 01 Dec 2016