

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Phusion® Hot Start Flex DNA Polymerase

Catalog Number: M0535L
Concentration: 2,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme that will incorporate 10

nmol of dNTP into acid insoluble material in 30 minutes at 74°C.

Lot Number: 10015642
Expiration Date: 03/2020
Storage Temperature: -20°C

Storage Conditions: 20 mM Tris-HCl , 100 mM KCl , 1 mM DTT , 0.1 mM EDTA , 200 µg/ml BSA

, 1X Stabilizers , 50 % Glycerol, (pH 7.4 @ 25°C)

Specification Version: PS-M0535S/L v1.0

Phusion® Hot Start Flex DNA Polymerase Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result
M0535LVIAL	Phusion® Hot Start Flex DNA Polymerase	0071803	Pass
B0519SVIAL	Phusion® GC Buffer Pack	0041703	Pass
B0518SVIAL	Phusion® HF Buffer Pack	0071804	Pass
B0515AVIAL	DMSO	0051711	Pass
B0510AVIAL	MgCl2 Solution (50 mM)	10009811	Pass

Assay Name/Specification	Lot # 10015642
Endonuclease Activity (Nicking)	Pass
A 50 μl reaction in NEBuffer 2 in the presence of 200 μM dNTPs containing 1 μg of	
supercoiled PhiX174 DNA and a minimum of 10 units of Phusion® High-Fidelity DNA	
Polymerase incubated for 4 hours at either 37°C or 72°C results in <10% conversion	
to the nicked form as determined by agarose gel electrophoresis.	
PCR Amplification (20 kb Lambda DNA)	Pass
A 50 μl reaction in Phusion® HF Buffer in the presence of 200 μM dNTPs and 1.0 μM	
primers containing 10 ng Lambda DNA with 1 unit of Phusion® Hot Start Flex DNA	
Polymerase for 22 cycles of PCR amplification results in the expected 20 kb product.	
PCR Amplification (7.5 kb Human Genomic DNA)	Pass
A 50 μl reaction in Phusion® HF Buffer in the presence of 200 μM dNTPs and 1.0 μM	
primers containing 50 ng Human Genomic DNA with 1 unit of Phusion® Hot Start Flex	
DNA Polymerase for 30 cycles of PCR amplification results in the expected 7.5 kb	
product.	



M0535L / Lot: 10015642

Page 1 of 2

Assay Name/Specification	Lot # 10015642
PCR Amplification (Hot Start, Human Genomic DNA)	Pass
A 25 μl reaction in Phusion® GC Buffer in the presence of 200 μM dNTPs and 0.5 μM	
primers containing 50 ng Human Genomic DNA with 0.5 units of Phusion® Hot Start Flex	
DNA Polymerase for 25 cycles of PCR amplification results in the expected 665 bp	
product, and a decrease in non-specific genomic bands after pre-incubation at room	
temperature for 1 hour, when compared to a non-hot start control reaction.	

This product has been tested and shown to be in compliance with all specifications.

a / a\_\_\_\_

Lynne Apone Production Scientist 26 Jul 2018 Michael Tonello

Packaging Quality Control Inspector 26 Jul 2018

