

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: EnGen® Spy Cas9 Nickase

Catalog Number: M0650S

Concentration: 1,000 Nanomolar

Unit Definition: N/A

Lot Number: 10042812
Expiration Date: 04/2021
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl , 300 mM NaCl , 1 mM DTT , 0.1 mM EDTA , 50 %

Glycerol, (pH 7.4 @ 25°C)

Specification Version: PS-M0650S v1.0

EnGen® Spy Cas9 Nickase Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0650SVIAL	EnGen® Spy Cas9 Nickase	10042813	Pass	
B7203SVIAL	NEBuffer™ 3.1	10041001	Pass	

Assay Name/Specification	Lot # 10042812
Endonuclease Activity (Nicking) A 50 μl reaction in NEBuffer 3.1 containing 1 μg of supercoiled PhiX174 RF I DNA and a minimum of 1 pmol of EnGen® Spy Cas9 Nickase incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 1 pmol of EnGen® Spy Cas9 Nickase incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Functional Testing (EnGen® Spy Cas9 Nickase, Targeted Nicking) A 20 µl reaction in 1X NEBuffer 3.1 containing 20 nM 100 bp FAM and ROX labeled double stranded target DNA, 100 nM sgRNA and 100 nM EnGen® Spy Cas9 Nickase incubated for 1 hour at 37°C results in ≥90% nicking of the substrate DNA as determined by capillary electrophoresis.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer 3.1 containing 1 µg of Lambda DNA and a minimum of 1 pmol of EnGen® Spy Cas9 Nickase incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel	Pass



M0650S / Lot: 10042812

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

Jessica Cane Production Scientist

17 Apr 2019

Michael Tonello

Packaging Quality Control Inspector

12 Jul 2019



M0650S / Lot: 10042812

Page 2 of 2