

New England Biolabs Certificate of Analysis

Product Name: RNase 4
Catalog Number: M1284S
Concentration: 50,000 U/ml
Unit Definition: One unit of RNase 4 is defined as the amount of enzyme required to cleave 1.8 pmol of a 45-mer RNA substrate containing a single U/A cut site in 60 minutes at 25°C.
Packaging Lot Number: 10248269
Expiration Date: 05/2026
Storage Temperature: -20°C
Storage Conditions: 50 mM Sodium Acetate, 100 mM Sodium Chloride, 200 µg/ml rAlbumin, 50% Glycerol (pH 6.0 @ 25°C)
Specification Version: PS-M1284S v1.0

RNase 4 Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M1284SVIAL	RNase 4	10244310	Pass
B6001SVIAL	NEBuffer™ r1.1	10241732	Pass

Assay Name/Specification	Lot # 10248269
Endonuclease Activity (Nicking) A 50 µl reaction in NEBuffer™ r1.1 containing 1 µg of supercoiled PhiX174 RF I DNA and a minimum of 50 units of RNase 4 incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer™ r1.1 containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 50 units of RNase 4 incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer™ r1.1 containing 1 µg of PhiX174-HaeIII DNA and a minimum of 50 units of RNase 4 incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Phosphatase Activity (pNPP) A 200 µl reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl ₂ containing 2.5 mM	Pass

Assay Name/Specification	Lot # 10248269
<p>p-Nitrophenyl Phosphate (pNPP) and a minimum of 50 units of RNase 4 incubated for 16 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.</p>	
<p>Protein Purity (Microfluidic Electrophoresis) RNase 4 is ≥95% pure as determined by microfluidic electrophoresis.</p>	Pass
<p>qPCR DNA Contamination (E. coli Genomic) A minimum of 50 units of RNase 4 is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Bo Wu
Production Scientist
21 May 2024



Michael Tonello
Packaging Quality Control Inspector
14 Jun 2024