

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name:	Luna® Universal qPCR Master Mix
<i>Catalog #</i> :	M3003S/L/G/X
Concentration:	2X Concentrate
Lot #:	0081706
Assay Date:	06/2017
Expiration Date:	6/2019
Storage Temp:	-20°C
Composition (1X):	Proprietary
Specification Version:	PS-M3003S/L/G v1.0
Effective Date:	06 Jun 2017

Assay Name/Specification (minimum release criteria)	Lot #0081706
<b>Functional Testing (qPCR)</b> - Luna® Universal qPCR Master Mix is functionally tested in qPCR with human cDNA template, resulting in a standard curve with a calculated qPCR efficiency of 90-110%, and a dynamic range of 5 orders of magnitude.	Pass
<b>Non-Specific DNase Activity (16 hour, Master Mix)</b> - A 50 µl reaction in 1X Luna® Universal qPCR Master Mix containing 1 µg of T3 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
<b>qPCR DNA Contamination (</b> <i>E. coli</i> <b>Genomic)</b> - A minimum of 1 $\mu$ l of Luna® Universal qPCR Master Mix is screened for the presence of <i>E. coli</i> genomic DNA using SYBR® Green qPCR with primers specific for the <i>E. coli</i> 16S rRNA locus. Results are quantified using a standard curve generated from purified <i>E. coli</i> genomic DNA. The measured level of <i>E. coli</i> genomic DNA contamination is $\leq 1$ <i>E. coli</i> genome.	Pass
<b>RNase Activity Assay (4 Hour Digestion)</b> - A 10 $\mu$ l reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 $\mu$ l of Luna® Universal qPCR Master Mix is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass

The

Authorized by Karen Moreira 06 Jun 2017



×

Inspected by David Guo 13 Jun 2017