240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Luna® Universal Probe qPCR Master Mix

Catalog #: M3004S/L/G/X/E

Concentration: 2X Concentrate

 Lot #:
 0051709

 Assay Date:
 09/2017

 Expiration Date:
 09/2019

 Storage Temp:
 -20°C

Composition (1X): Proprietary

Specification Version: PS-M3004S/L/G/X/E v1.0

Effective Date: 29 Sep 2017

Assay Name/Specification (minimum release criteria)	Lot #0051709
Functional Testing (qPCR) - Luna® Universal Probe qPCR Master Mix is functionally tested in qPCR with human cDNA template, resulting in a standard curve with a calculated qPCR efficiency of 90-110%, and a dynamic range of 5 orders of magnitude.	Pass
Non-Specific DNase Activity (16 hour, Master Mix) - A 50 µl reaction in 1X Luna® Universal Probe qPCR Master Mix containing 1 µg of T3 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
qPCR DNA Contamination (<i>E. coli</i> Genomic) - A minimum of 1 μ l of Luna® Universal Probe qPCR Master Mix is screened for the presence of <i>E. coli</i> genomic DNA using SYBR® Green qPCR with primers specific for the <i>E. coli</i> 16S rRNA locus. Results are quantified using a standard curve generated from purified <i>E. coli</i> genomic DNA. The measured level of <i>E. coli</i> genomic DNA contamination is ≤ 1 <i>E. coli</i> genome.	Pass
RNase Activity Assay (4 Hour Digestion) - A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of Luna® Universal Probe qPCR Master Mix is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass

Authorized by Melanie Fortier 29 Sep 2017







Inspected by
Tony Spear-Alfonso

18 Dec 2017